



Z-Lite

Est. 1987

Outdoor Lighting



# Outdoor Wall Mount Fixtures

# Keaton




| A |



| B |



| C |



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	520B-BK-LED	(1) 23W LED	2244	530	2700K	>90	4"	8"	24"	8.75"	15.25"	8"W x 24"H
B	520M-BK-LED	(1) 18W LED	1788	430	2700K	>90	3.5"	7"	20.25"	8.25"	12.25"	7"W x 20.25"H
C	520S-BK-LED	(1) 12W LED	1129	280	2700K	>90	3"	5.5"	12.5"	5"	7.5"	5.5"W x 12.5"H

See z-lite.com for additional images/drawings of these fixtures

# Nyx



| A |



| B |



| C |



**5 CCT Dimmable:**  
**2700K, 3000K, 3500K, 4000K, 5000K**  
CRI (Color Rendering Index) **>90**

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	5014B-BK-LED	(2) 18W LED	3600LM	1640LM	5CCT	>90	3.5"	8"	24"	7"	17"	8"W x 24"H
B	5014M-BK-LED	(2) 12W LED	2400LM	1100LM	5CCT	>90	3.5"	8"	18"	5"	13"	8"W x 18"H
C	5014S-BK-LED	(2) 6W LED	1200LM	550LM	5CCT	>90	3.25"	6"	13"	5"	8"	6"W x 13"H

See z-lite.com for additional images/drawings of these fixtures

# Baden



Item A in BK finish is available in Coastal Grade



| A |

| B |



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**


	Product	Available Finish	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	587M-BK-LED	BK (Coastal)	(1) 23W LED	2300	820	2700K	>90	3.75"	5"	24"	11.75"	12.25"	5"W x 24"H
B	587S-BK-LED	BK	(1) 18W LED	1530	550	2700K	>90	3.75"	5"	12.5"	6.25"	6.25"	5"W x 12.5"H

See z-lite.com for additional images/drawings of these fixtures

# Eclipse



Items A, B in BK finish are available in Coastal Grade



| A |

| B |

| C |




Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Available Finish	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	577B-BK-LED	BK (Coastal)	(2) 12W LED	2040	420	2700K	>90	3.25"	8"	24"	12"	12"	8"W x 24"H
B	577M-BK-LED	BK (Coastal)	(2) 10W LED	1700	350	2700K	>90	3.25"	7"	18"	9"	9"	7"W x 18"H
C	577S-BK-LED	BK	(2) 8W LED	1360	300	2700K	>90	3.25"	6.25"	12"	6"	6"	6.25"W x 12"H

See z-lite.com for additional images/drawings of these fixtures

# Landrum



Black

Fixtures A, B, C can be mounted facing up or down




Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	581B-BK-LED	(1) 10W LED	850	340	2700K	>90	3"	4.75"	24"	11"	13.25"	4.5"W x 19.75"H
B	581M-BK-LED	(1) 10W LED	850	370	2700K	>90	3"	4.75"	18"	8"	10.5"	4.5"W x 13.75"H
C	581S-BK-LED	(1) 8W LED	680	320	2700K	>90	3"	4.75"	12"	5.25"	7"	4.5"W x 8"H

See z-lite.com for additional images/drawings of these fixtures

# Landrum



Black





Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
D	582B-BK-LED	(2) 10W LED	1700	670	2700K	>90	3.25"	4.75"	24"	12"	12"	4.5"W x 21.25"H
E	582M-BK-LED	(2) 10W LED	1700	750	2700K	>90	3.25"	4.75"	18"	9"	9"	4.5"W x 15.75"H
F	582S-BK-LED	(2) 8W LED	1700	610	2700K	>90	3.25"	4.75"	12"	6"	6"	4.5"W x 10.5"H

See z-lite.com for additional images/drawings of these fixtures

# Stylet



Black



Side view close-up




**5CCT Dimmable:**  
**2700K, 3000K, 3500K, 4000K, 5000K**  
**CRI (Color Rendering Index) >90**

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	5007-36BK-LED	(2) 18W LED	3400LM	1850LM	5CCT	>90	3.75"	4.75"	36"	31"	5"	4.75"W x 10"H
B	5007-24BK-LED	(2) 12W LED	2430LM	1250LM	5CCT	>90	3.75"	4.75"	24"	20.5"	3.5"	4.75"W x 7"H
C	5007-18BK-LED	(2) 9W LED	1980LM	930LM	5CCT	>90	3.75"	4.75"	18"	14.5"	3.5"	4.75"W x 7"H

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Stylet



Black



Side view close-up



**5CCT Dimmable:**  
**2700K, 3000K, 3500K, 4000K, 5000K**  
**CRI (Color Rendering Index) >90**

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	5006-72BK-LED	(4) 18W LED	6800LM	3700LM	5CCT	>90	3.75"	4.75"	72"	36"	36"	4.75"W x 13.75"H
B	5006-60BK-LED	(4) 15W LED	6260LM	3200LM	5CCT	>90	3.75"	4.75"	60"	30"	30"	4.75"W x 13.75"H
C	5006-48BK-LED	(4) 12W LED	4860LM	2400LM	5CCT	>90	3.75"	4.75"	48"	24"	24"	4.75"W x 10"H
D	5006-36BK-LED	(2) 18W LED	3400LM	1850LM	5CCT	>90	3.75"	4.75"	36"	18"	18"	4.75"W x 10"H
E	5006-24BK-LED	(2) 12W LED	2430LM	1250LM	5CCT	>90	3.75"	4.75"	24"	12"	12"	4.75"W x 7"H

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Edge



Finish



Black



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	576S-BK-LED	(1) 10W LED	900	363	2700K	>90	4"	4.5"	12"	10"	2.25"	4.5"W x 4.5"H
B	576M-BK-LED	(2) 10W LED	1800	786	2700K	>90	4"	4.5"	18.5"	16.25"	2.25"	4.5"W x 4.5"H

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Edge



Finish



Black



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	576S-2-BK-LED	(2) 10W LED	880	860	2700K	>90	3.75"	4.5"	20.5"	10.25"	10.25"	4.33"W x 4.33"H
B	576M-2-BK-LED	(2) 18W LED	1580	1680	2700K	>90	3.75"	4.5"	33.25"	16.625"	16.625"	4.33"W x 4.33"H

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Obelisk




Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	578BK-LED	(1) 11W LED	880	334	2700K	>90	3.5"	6.25"	6.25"	3.25"	3.25"	5.25"W x 5.25"H
B	578ORBZ-LED	(1) 11W LED	880	333	2700K	>90	3.5"	6.25"	6.25"	3.25"	3.25"	5.25"W x 5.25"H
C	578SL-LED	(1) 11W LED	880	417	2700K	>90	3.5"	6.25"	6.25"	3.25"	3.25"	5.25"W x 5.25"H
D	578WH-LED	(1) 11W LED	880	493	2700K	>90	3.5"	6.25"	6.25"	3.25"	3.25"	5.25"W x 5.25"H

See z-lite.com for additional images/drawings of these fixtures

# Leland



**5CCT Dimmable:**  
**2700K, 3000K, 3500K, 4000K, 5000K**  
CRI (Color Rendering Index) **>90**

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	5005B-BK-LED	(1) 16W LED	1750LM	750LM	5CCT	>90	10.5"	9"	24"	3.875"	20.125"	7.875" diameter
B	5005M-BK-LED	(1) 12W LED	1180LM	600LM	5CCT	>90	8.5"	7"	18"	3.125"	14.875"	6.25" diameter
C	5005S-BK-LED	(1) 9.5W LED	860LM	420LM	5CCT	>90	7"	5.5"	12.5"	2.5"	9.875"	5.125" diameter

See z-lite.com for additional images/drawings of these fixtures

# Asher



All BK finished items are available in Coastal Grade

Finish



Black

Finish



Outdoor Rubbed Bronze



| A |



| B |



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Available Finish	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	544B-BK-LED	BK (Coastal), ORBZ	(1) 18W LED	1580	850	2700K	>90	13"	12"	11"	4.75"	6.125"	9.45" x 9.45"
B	544S-ORBZ-LED	BK (Coastal), ORBZ	(1) 10W LED	850	430	2700K	>90	6.25"	5.5"	5"	2.125"	2.875"	5"W x 5"H

See z-lite.com for additional images/drawings of these fixtures

# Luca



Finish



Black



| A |



| B |



| C |



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	517B-BK-LED	(2) 11W LED	900	630	2700K	>90	9.5"	9.25"	24"	8.25"	15.75"	9"W x 10"H
B	517M-BK-LED	(2) 8W LED	687	540	2700K	>90	8"	7.25"	18"	6.25"	11.75"	6.75"W x 8.25"H
C	517S-BK-LED	(2) 6W LED	523	400	2700K	>90	6.25"	5.75"	12"	4.75"	7.25"	5.75"W x 7"H

See z-lite.com for additional images/drawings of these fixtures

# Barwick



| A |



| B |



| C |



Finish



Black



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	585B-BK-LED	(1) 14W LED	1190	450	2700K	>90	7.75"	8"	24.5"	4.75"	19.75"	7.75"W x 9.5"H
B	585M-BK-LED	(1) 14W LED	1190	470	2700K	>90	7.25"	6.75"	18.25"	4.1"	14.25"	6.75"W x 8.25"H
C	585S-BK-LED	(1) 11W LED	935	300	2700K	>90	5.75"	5.75"	12.5"	3.5"	9"	5.75"W x 7"H

See z-lite.com for additional images/drawings of these fixtures

# RLM



| A |



| D |



Finish



Black



| B |



| E |



| G |



| C |



| F |



| H |

	Product	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate Size
A	5021M-BK	(1) 100W-m	13.75"	12"	11.25"	8"	3.25"	5" diameter
B	5022M-BK	(1) 100W-m	15.25"	12"	7.25"	4"	3.25"	5" diameter
C	5027M-BK	(1) 60W-m	16"	12"	11.75"	6.375"	5.375"	5" diameter
D	5020M-BK	(1) 100W-m	15"	12"	9.25"	5.5"	3.625"	5" diameter
E	5023M-BK	(1) 100W-m	15"	12"	10.25"	6.375"	3.75"	5" diameter
F	5026B-BK	(1) 60W-m	19"	14"	15.5"	8.125"	7.25"	5" diameter
G	5024M-BK	(1) 100W-m	15"	12"	12.5"	7.74"	4.61"	5" diameter
H	5025B-BK	(1) 100W-m	19.25"	14"	9.5"	2.5"	7"	5" diameter

# Luttrell



| A |



| B |



| C |



| D |



Item B in BK finish is available in Coastal Grade

Finish



Black



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Available Finish	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Ceiling/Wall Plate
A	566XL-BK-LED	BK	(1) 18W LED	1530	653	2700K	>90	11.5"	11.75"	25"	6.5"	18.5"	6"W x 9.5"H
B	566B-BK-LED	BK (Coastal)	(1) 12W LED	1094	563	2700K	>90	8.75"	8.75"	18"	5.25"	12.75"	4.75"W x 8"H
C	566M-BK-LED	BK	(1) 10W LED	904	369	2700K	>90	7.5"	7.25"	15"	5"	10.25"	4.75"W x 8"H
D	566S-BK-LED	BK	(1) 8W LED	705	251	2700K	>90	5.75"	5.5"	11.75"	4"	8"	4.5"W x 6.5"H

See z-lite.com for additional images/drawings of these fixtures

# Ansel



| A |



| B |

Finish



Black

Finish




Galvanized

	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	590M-GV	BK, GV	(1) 100W-m	12.25"	10.75"	14"	6"	8.5"	5.1" diameter
B	590M-BK	BK, GV	(1) 100W-m	12.25"	10.75"	14"	6"	8.5"	5.1" diameter

See z-lite.com for additional images/drawings of these fixtures

# Nova



	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	5018XL-BK	BK	(5) 60W-c	9.25"	12.5"	32"	17"	15"	11.75"W x 29.75"H
B	5018B-BK	BK	(4) 60W-c	8.25"	10.5"	24.5"	13"	11.5"	9.75"W x 22.63"H
C	5018M-BK	BK	(3) 60W-c	8.25"	8.5"	20.5"	11"	9.625"	7.88"W x 18.88"H
D	5018S-BK	BK	(2) 60W-c	5.5"	6.5"	16.5"	8.8"	7.75"	6"W x 15.25"H

See z-lite.com for additional images/drawings of these fixtures


# Lucian



	Product	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Ceiling/Wall Plate
A	598B-BK	(3) 60W-c	6.75"	9"	26.5"	13.25"	13.25"	8.125"W x 18.625"H
B	598M-BK	(2) 60W-c	6"	8"	21.5"	10.75"	10.75"	7.125"W x 14.5"H
C	598S-BK	(2) 60W-c	5.5"	7"	18.5"	9.25"	9.25"	6.125"W x 12.625"H

See z-lite.com for additional images/drawings of these fixtures


# Hartwell



	Product	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	5019XXL-BK	(6) 60W-c	17"	15"	36"	15.125"	21"	7.875"W x 11.75"H
B	5019XL-BK	(5) 60W-c	13.75"	12"	28.5"	11.625"	16.875"	5.5"W x 8.625"H
C	5019B-BK	(4) 60W-c	11.75"	10"	23.75"	10.375"	13.375"	5.5"W x 8.625"H
D	5019M-BK	(3) 60W-c	9.5"	8"	19.25"	7.875"	11.25"	4.75"W x 6.75"H
E	5019S-BK	(2) 60W-c	7.5"	6"	13.75"	6.375"	7.25"	4.75"W x 6.75"H

See z-lite.com for additional images/drawings of these fixtures

# Tiberius



	Product	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	5017XL-BK	(6) 60W-c	13.5"	12"	34"	10.875"	23.125"	8.5"W x 11"H
B	5017B-BK	(4) 60W-c	10.5"	9"	24"	7"	17"	6.38"W x 8.25"H
C	5017M-BK	(2) 60W-c	8.75"	7.75"	18"	5.75"	12.25"	4.75"W x 6.25"H

See z-lite.com for additional images/drawings of these fixtures

# Gannon



Finish



Black

Glass



Clear  
Beveled  
Glass

	Product	Bulbs/ Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	5008XXL-BK	(5) 60W-c	17.5"	16"	44"	13.11"	30.69"	5.91"W x 13.88"H
B	5008XL-BK	(3) 60W-c	13"	12"	33.25"	9.68"	23.35"	5.38"W x 11.75"H
C	5008B-BK	(3) 60W-c	11"	110"	27.25"	8"	19.25"	4.5"W x 10"H
D	5008M-BK	(1) 100W-m	9"	8"	22.25"	6.4"	15.77"	4.5"W x 7.87"H
E	5008S-BK	(1) 100W-m	7"	6"	17.25"	5.2"	11.8"	4.72"W x 6.25"H

See z-lite.com for additional images/drawings of these fixtures

# Aura



Finish



Black

Glass



Clear Ribbed  
Glass

	Product	Bulb/ Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	5013B-BK	(1) 60W-m	9.25"	8"	22.25"	6.10"	16.14"	5.5"W x 8.625"H
B	5013M-BK	(1) 60W-m	9.25"	8"	16.5"	6.10"	10.24"	5.5"W x 8.625"H
C	5013S-BK	(1) 60W-m	7.25"	6"	12.75"	4.45"	8.15"	4.75"W x 6.75"H

See z-lite.com for additional images/drawings of these fixtures

# Rainer



Finish	Glass
	
Black	Clear Seedy Glass



	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	5015XXL-BK	BK	(6) 60W-c	20"	17.5"	31"	13.2"	17.8"	8.25"W x 11.75"H
B	5015XL-BK	BK	(5) 60W-c	18"	15.5"	27"	12.6"	14.4"	7.125"W x 10.625"H
C	5015B-BK	BK	(4) 60W-c	15.75"	13.5"	23"	9.6"	13.4"	5.875"W x 9.375"H
D	5015M-BK	BK	(3) 60W-c	13.25"	11.5"	19"	8.9"	10.1"	4.75"W x 7.875"H
E	5015S-BK	BK	(1) 100W-m	11.25"	9.5"	15"	7"	8"	4.5"W x 6.5"H

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Sana




Finish	Glass
	
Black	Clear Seedy Glass



	Product	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	592B-BK	(3) 60W-c	8.75"	8"	24.75"	14.125"	10.375"	8"W x 20.875"H
B	592M-BK	(1) 100W-m	7.5"	6.75"	18.5"	10.625"	7.625"	6.75"W x 15.125"H
C	592S-BK	(1) 100W-m	6.5"	5.75"	12.75"	7.625"	4.875"	5.75"W x 9.875"H

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Abbey



| A |



| B |



| C |


	Product	Available Finish	Bulbs/ Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	549B-BK	BK	(1) 100W-m	9.5"	7.75"	17"	7.3"	9.7"	5.5"W x 8.75"H
B	549M-BK	BK	(1) 100W-m	8.25"	6.75"	14.75"	7.3"	7.3"	4.75"W x 7"H
C	549S-BK	BK	(1) 100W-m	6.75"	5.5	11.75"	5.6"	6"	4.5"W x 6.25"H

See z-lite.com for additional images/drawings of these fixtures

# Dunbroch



Items A, B in BK finish are available in Coastal Grade



| A |



| B |



| C |

	Product	Available Finish	Bulbs/ Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	584B-BK	BK (Coastal), DBZ-OBS	(1) 60W-m	6.25"	8"	24.25"	4"	20.1"	8"W x 24.25"H
B	584M-DBZ-OBS	BK (Coastal), DBZ-OBS	(1) 60W-m	6.25"	8"	18.25"	4"	14.1"	8"W x 18.25"H
C	584S-BK	BK, DBZ-OBS	(1) 60W-m	6.25"	8"	13"	4"	8.8"	8"W x 13"H

See z-lite.com for additional images/drawings of these fixtures

# Glenwood



Item A in BK finish is available in Coastal Grade



| A |



| B |



| C |

	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	586B-BK	BK (Coastal)	(1) 100W-m	9.5"	7.5"	20.25"	6.3"	13.78"	5"W x 20.25"H
B	586M-BK	BK	(1) 100W-m	9.25"	7.5"	16.75"	5.32"	11.3"	5"W x 16"H
C	586S-BK	BK	(1) 60W-m	7"	5.25"	12.5"	4.72"	7.87"	4.5"W x 12.5"H

See z-lite.com for additional images/drawings of these fixtures

# Nuri



| A |



| B |



| C |

	Product	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	596B-BK	(1) 100W-m	8.5"	7.5"	21.25"	3.625"	16.5"	5.125"W x 6.75"H
B	596M-BK	(1) 100W-m	8.5"	7.5"	17.5"	3.625"	13"	5.125"W x 6.75"H
C	596S-BK	(1) 100W-m	6.25"	5.25"	13.5"	3.25"	9.25"	5.125"W x 6.75"H

See z-lite.com for additional images/drawings of these fixtures

# Portland



Item B in BK finish is available in Coastal Grade

Finish




Black

Glass



Clear Beveled Glass (with BK finish)

Finish



Oil Rubbed Bronze

Glass



Clear Seedy Glass (with ORB finish)



	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	531BXL-ORB	BK, ORB	(1) 100W-m	10.75"	9.5"	22"	4.25"	17.75"	6"W x 14"H
B	531MXL-BK	BK (Coastal), ORB	(1) 100W-m	9.25"	8"	18"	3"	15"	4.75"W x 11.25"H
C	531B-BK	BK, ORB	(1) 100W-m	10.75"	9.5"	15.75"	4.5"	11.25"	6"W x 9.75"H
D	531M-ORB	BK, ORB	(1) 100W-m	9.25"	8"	14"	4"	9.75"	5.25"W x 8"H
E	531S-BK	BK, ORB	(1) 100W-m	7.25"	6"	10.25"	3"	7.25"	4.5"W x 6"H

See z-lite.com for additional images/drawings of these fixtures

# Seoul




All items in BK finish are available in Coastal Grade

Finish



Black

Finish



Oil Rubbed Bronze

Glass



Clear Beveled Glass



	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	571XXL-BK	BK (Coastal)	(4) 60W-c	19.5"	18"	30.25"	6.125"	24"	7.5"W x 12.25"H
B	571XL-BK	BK (Coastal), ORB	(3) 60W-c	15.5"	14"	22.75"	4.5"	18.25"	5.75"W x 9.5"H
C	571B-ORB	BK (Coastal), ORB	(2) 60W-c	12.5"	11.25"	18.75"	3.25"	15.375"	5.75"W x 9.5"H
D	571M-BK	BK (Coastal), ORB	(2) 60W-c	10.5"	9.25"	14.75"	2.75"	11.875"	5"W x 8"H
E	571S-ORB	BK (Coastal), ORB	(1) 100W-m	8.25"	7.25"	11.5"	2.125"	9.375"	4.5"W x 6"H

See z-lite.com for additional images/drawings of these fixtures

# Brookside



Item C in BK finish is available in Coastal Grade

Finish



Black

Glass



Clear Seedy Glass



| A |



| B |



| C |

	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	583B-BK	BK	(1) 100W-m	11.5"	9.5"	18.25"	3.25"	15"	6.75"W x 10"H
B	583M-BK	BK	(1) 100W-m	9.5"	7.25"	15.25"	2.625"	12.5"	5.75"W x 8.25"H
C	583S-BK	BK (Coastal)	(1) 100W-m	7.25"	6"	12.25"	2.125"	10.125"	4.5"W x 5.5"H

See z-lite.com for additional images/drawings of these fixtures

# Aspen



Finish



Black

Finish



Oil Rubbed Bronze

Glass



Clear Seedy Glass



| A |



| B |



| C |



| D |

	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	554XL-BK	BK, ORB	(3) 60W-c	11"	12"	21.25"	2.36"	18.7"	5"W x 13.5"H
B	554B-ORB	BK, ORB	(1) 100W-m	11"	12"	15.25"	2.36"	12.68"	5"W x 9"H
C	554M-BK	BK, ORB	(1) 100W-m	10"	9"	13"	2.48"	10.12"	4.25"W x 7.5"H
D	554S-ORB	BK, ORB	(1) 100W-m	7.5"	8.5"	11"	2.48"	8.15"	4.25"W x 7.5"H

See z-lite.com for additional images/drawings of these fixtures

# Broughton




	Product	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	521B-BK	(4) 60W-c	13.25"	12.5"	21"	4.125"	16.875"	5.625"W x 10"H
B	521M-BK	(2) 60W-c	11.25"	10.25"	17.5"	3.625"	13.75"	5.625"W x 8.25"H
C	521S-BK	(1) 100W-m	9.5"	8.25"	14.25"	2.9"	11.375"	5.625"W x 8.25"H

See z-lite.com for additional images/drawings of these fixtures

# Talbot



Items B, C, D, E in BK finish are available in Coastal Grade






	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	579XLX-BK	BK, ORB	(4) 60W-c	20.5"	19.5"	33"	7.5"	25.5"	7.87"W x 15"H
B	579XL-ORB	BK (Coastal), ORB	(3) 60W-c	13.25"	12.25"	21.25"	4.7"	16.4"	4.75"W x 9.5"H
C	579B-BK	BK (Coastal), ORB	(3) 60W-c	11"	10"	17.5"	4.1"	13.3"	4.75"W x 8.25"H
D	579M-ORB	BK (Coastal), ORB	(1) 100W-m	9"	8.25"	13.25"	3"	10.3"	4.75"W x 6"H
E	579S-BK	BK (Coastal), ORB	(1) 100W-m	6"	7"	10.75"	2.6"	8.1"	4.75"W x 5.25"H

See z-lite.com for additional images/drawings of these fixtures

# Beacon



Items C, D, E in BK finish are available in Coastal Grade



	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	568XXL-BK	BK	(4) 60W-c	17.75"	16"	30.25"	4.75"	25.5"	8.75"W x 14"H
B	568XL-BK	BK, ORB	(3) 60W-c	13.5"	12"	22.5"	3.75"	18.75"	7.25"W x 10.5"H
C	568B-ORB	BK (Coastal), ORB	(2) 60W-c	11"	9.5"	17.75"	3"	14.5"	5.75"W x 8.25"H
D	568M-BK	BK (Coastal), ORB	(2) 60W-c	9.25"	8"	15"	2.375"	12.5"	4.5"W x 6.75"H
E	568S-ORB	BK (Coastal), ORB	(1) 100W-m	7.25"	6.25"	11.5"	2.25"	9.25"	4.5"W x 5.5"H

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures



# Davina



| A |



| B |



| C |



Finish



Black

Glass



Clear Ribbed Glass

	Product	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	5016B-BK	(4) 60W-c	14.25"	12"	28"	12.625"	15.375"	5.875"W x 9.375"H
B	5016M-BK	(3) 60W-c	10.75"	9"	21.5"	10.66"	10.65"	4.75"W x 7.875"H
C	5016S-BK	(1) 60W-m	8.5"	7"	16.75"	8.42"	8.28"	4.5"W x 6.5"H

See z-lite.com for additional images/drawings of these fixtures

# Roundhouse



| A |



| B |



| C |



| D |



Items C, D in BK finish are available in Coastal Grade

Finish



Black

Glass



Clear Seedy Glass

	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	569XL-BK	BK	(1) 60W-m	15"	12"	31.75"	11"	20.75"	5.75"W x 10"H
B	569B-BK	BK	(1) 60W-m	11.75"	9.25"	24.75"	9.125"	15.75"	5.75"W x 8.25"H
C	569M-BK	BK (Coastal)	(1) 60W-m	9.5"	7.5"	19.5"	7.125"	12.5"	4.5"W x 6.75"H
D	569S-BK	BK (Coastal)	(1) 60W-m	7.5"	6"	15.75"	6"	9.75"	4.5"W x 5.5"H

See z-lite.com for additional images/drawings of these fixtures

# Bar Harbor



Finish  
 Black  
 Glass  
 Clear Seedy Glass



| A |



| B |



| C |

	Product	Bulb/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	5004B-BK	(1) 100W-m	11"	10"	18"	2.13"	16"	5"W x 8.25"H
B	5004M-BK	(1) 100W-m	8.25"	7.5"	12.5"	2.1"	10.4"	5"W x 5.25"H
C	5004S-BK	(1) 100W-m	5.75"	5"	9"	2.1"	6.9"	4.75"W x 4.75"H

See z-lite.com for additional images/drawings of these fixtures

# Jordan



Items B, C in BK finish are available in Coastal Grade

Finish  
 Black  
 Finish  
 Oil Rubbed Bronze  
 Glass  
 Clear Seedy Glass



| A |



| B |



| C |



| D |

	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	570XL-BK	BK, ORB	(1) 60W-m	13.75"	12"	20"	3.375"	16.625"	6.75"W x 10"H
B	570B-ORB	BK (Coastal), ORB	(1) 60W-m	11.25"	10"	16.75"	2.875"	14"	5.75"W x 8.25"H
C	570M-ORB	BK (Coastal), ORB	(1) 60W-m	9"	8"	13.5"	2.25"	11.125"	4.5"W x 6.75"H
D	570S-BK	BK, ORB	(1) 60W-m	6.75"	6"	10.75"	2.125"	8.5"	4.5"W x 5.5"H

See z-lite.com for additional images/drawings of these fixtures

# Laurent



Item B, D with Opal Glass(597) are available in Coastal Grade

Finish



Black

Glass



Clear Seedy Glass (599)

Glass



Matte Opal Glass (597)



| A |



| B |



| C |



| D |

	Product	Available Glass	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	597B2-BK	Opal (597), Seedy (599)	(2) 60W-m	13"	12"	30"	15"	15"	6.625" diameter
B	599B-BK	Opal (597)(Coastal), Seedy (599)	(1) 60W-m	13	12"	22.5"	17.6"	4.9"	6.625" diameter
C	599M2-BK	Opal (597), Seedy (599)	(2) 60W-m	9"	8"	21"	10.5"	10.5"	4.75" diameter
D	597M-BK	Opal (597)(Coastal), Seedy (599)	(1) 60W-m	9"	8"	12.5"	10.12"	2.36"	4.75" diameter

See z-lite.com for additional images/drawings of these fixtures

# Westover



Finish



Black

Glass



Clear Beveled Glass



| A |



| B |



| C |




| D |

	Product	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	580B-BK	(3) 60W-c	11.25"	12.25"	22.25"	7.75"	14.75"	4.75"W x 9.25"H
B	580M-BK	(2) 60W-c	9.5"	10"	20.25"	7.25"	13.25"	4.75"W x 9.25"H
C	580S-BK	(1) 100W-m	7.5"	7.75"	13.75"	5.75"	8.25"	4.75"W x 5.75"H
D	580XS-BK	(1) 100W-m	7"	7.25"	10.5"	3.5"	7"	4.75"W x 5.75"H

See z-lite.com for additional images/drawings of these fixtures

# Armstrong



| A |



| B |



| C |



| D |



| E |




| F |

	Product	Available Finish	Bulbs/Wattage	L/ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate Size
A	533B-RBRZ	BK, RBRZ	(3) 60W-c	16"	12.5"	24.25"	12.4"	11.8"	5.25"W x 14"H
B	533M-BK	BK, RBRZ	(2) 60W-c	12.75"	10"	19.5"	10.1"	9.4"	5.25"W x 14"H
C	533S-RBRZ	BK, RBRZ	(1) 100W-m	10.5"	8"	15.75"	8.3"	7.5"	4.5"W x 10.5"H
D	534B-BK	BK, RBRZ	(3) 60W-c	16"	12.5"	24.25"	11.3"	13.1"	5.25"W x 14"H
E	534M-RBRZ	BK, RBRZ	(2) 60W-c	12.75"	10"	19.5"	9.1"	10.4"	5.25"W x 14"H
F	534S-BK	BK, RBRZ	(1) 100W-m	10.5"	8"	15.75"	7.4"	8.2"	4.5"W x 10.5"H

See z-lite.com for additional images/drawings of these fixtures

# Annex



| A |



| B |

	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	563M-BK	BK, RT	(1) 100W-m	8.25"	8"	15.75"	6.5"	9.25"	4.5"W x 7"H
B	563M-RT	BK, RT	(1) 100W-m	8.25"	8"	15.75"	6.5"	9.25"	4.5"W x 7"H

See z-lite.com for additional images/drawings of these fixtures


# Wakefield



| A |



| B |



	Product	Available Finish	Bulbs/Wattage	L/Ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate
A	522M-BK	BK	(1) 100W-m	10"	9.5"	22.75"	5.12"	17.91"	4.5"W x 7"H
B	522S-BK	BK	(1) 100W-m	9.5"	8"	20"	5.12"	15.75"	4.5"W x 4.5"H

See z-lite.com for additional images/drawings of these fixtures

# Waterdown



| A |




| B |



| C |



| D |



	Product	Available finishes	Bulbs/Wattage	L/ext.	W	H	Center Mount to Top of fixture	Center Mount to Bottom of fixture	Wall Plate Size
A	T21BK	BK, ORB, WH	(1) 100W-m	7.5"	6"	11.75"	3"	9.2"	4.25"W x 6"H
B	T20-BK	BK	(1) 100W-m	7.5"	6"	11.75"	3"	8.66"	4.25"W x 6"H
C	546BK	BK	(1) 100W-m	5.25"	7"	8.5"	2.75"	5.75"	4.75" diameter
D	551BK	BK	(1) 100W-m	4.5"	6"	8.5"	2.5"	6"	4.75" diameter





Outdoor  
Chain Hung  
Fixtures

# Barwick



Finish



Black



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

| A |

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	W	H	Overall H	Chain	Wire	Ceiling/Wall Plate
A	585CHB-BK-LED	(1) 14W LED	1190	500	2700K	>90	7"	26.75"	65.25"	36"	48"	4.5" square

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Luttrell



Finish



Black



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

| A |

| B |

	Product	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H	Overall H	Chain	Wire	Ceiling/Wall Plate
A	566CHXL-BK-LED	(1) 27W LED	2295	1064	2700K	>90	14.25"	11.75"	29.5"	68"	36"	48"	4.5" square
B	566CHB-BK-LED	(1) 12W LED	1094	520	2700K	>90	10.5"	10.5"	18"	54"	36"	48"	4.5" square

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Leland



| A |



Finish



Black



5CCT Dimmable:  
2700K, 3000K, 3500K, 4000K, 5000K  
CRI (Color Rendering Index) >90

	Product	Source/ Wattage	Source Lumens	Delivered Lumens	CCT	CRI	W	H	Overall H	Chain	Wire	Ceiling/Wall Plate
A	5005CHB-BK-LED	(1) 16W LED	1750LM	750LM	5CCT	>90	9"	26"	67"	36"	48"	5.125" diameter

See z-lite.com for additional images/drawings of these fixtures

# Luca



| A |

Finish



Black




Color Temperature - 2700K  
CRI (Color Rendering Index) >90  
Replaceable components

	Product	Source/ Wattage	Source Lumens	Delivered Lumens	CCT	CRI	W	H	Overall H	Chain	Wire	Ceiling/Wall Plate
A	517CHB-BK-LED	(1) 11W LED	900	400	2700K	>90	9.25"	24"	62.5"	36"	48"	5.125" diameter

See z-lite.com for additional images/drawings of these fixtures

# Hartwell



| A |



| B |




| C |

	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	5019CHXXL-BK	(6) 60W-c	15"	33.75"	75"	36"	48"	4.75" diameter
B	5019CHXL-BK	(5) 60W-c	12"	27.75"	68"	36"	48"	4.75" diameter
C	5019CHB-BK	(4) 60W-c	10"	22.75"	63"	36"	48"	4.75" diameter

See z-lite.com for additional images/drawings of these fixtures

# Nova



| A |



| B |

	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	5018CHXL-BK	(5) 60W-c	12.5"	35"	128.25"	12" rod+72" chain	110"	5.13" x 5.13"
B	5018CHB-BK	(4) 60W-c	10.5"	27.5"	120.75"	12" rod+72" chain	110"	5.13" x 5.13"

See z-lite.com for additional images/drawings of these fixtures

# Tiberius



| A |



| B |



Finish



Black

Glass



Light Seedy Glass

	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	5017CHXL-BK	(6) 60W-c	12"	31.5"	108.75"	72"	110"	4.88" x 4.88"
B	5017CHB-BK	(4) 60W-c	9"	22.75"	100"	72"	110"	4.88" x 4.88"

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Rainer



| A |



| B |



Finish



Black

Glass



Clear Seedy Glass

	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	5015CHXXL-BK	(6) 60W-c	17.5"	28"	68.5"	36"	48"	4.75" x 4.75"
B	5015CHXL-BK	(5) 60W-c	15.5"	24"	64.5"	36"	48"	4.75" x 4.75"

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Gannon




| A |



| B |



| C |



	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	5008CHXXL-BK	(5) 60W-c	16"	35.75"	95.75"	60"	110"	4.75" diameter
B	5008CHXL-BK	(3) 60W-c	12"	27.5"	87.5"	60"	110"	4.75" diameter
C	5008CHB-BK	(3) 60W-c	10"	23"	83"	60"	110"	4.75" diameter

See z-lite.com for additional images/drawings of these fixtures

# Aura



| A |



	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	5013CHB-BK	(1) 60W-m	8"	25"	65"	36"	48"	4.75" diameter

See z-lite.com for additional images/drawings of these fixtures

# Talbot



Items A, B in BK finish are available in Coastal Grade

Finish



Black

Glass



Clear Beveled Glass (with BK finish)

Finish



Oil Rubbed Bronze

Glass



Clear Seedy Glass (with ORB finish)




	Product	Available Finish	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	579CHXLX-BK	BK (Coastal), ORB	(4) 60W-c	19.5"	32.25"	113"	72"	110"	4.75" x 4.75"
B	579CHXL-ORB	BK (Coastal), ORB	(3) 60W-c	12.25"	21.5"	82.5"	60"	110"	4.75" x 4.75"
C	579CHB-ORB	BK, ORB	(3) 60W-c	10"	18"	79"	60"	110"	4.75" x 4.75"
D	579CHM-BK	BK, ORB	(1) 100W-m	8.25"	14.25"	75.25"	60"	110"	4.75" x 4.75"

See z-lite.com for additional images/drawings of these fixtures

# Broughton



Finish



Black

Glass



Clear Glass



	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	521CHXL-BK	(4) 60W-c	15.75"	23.75"	98.25"	72"	110"	4.875" x 4.875"
B	521CHB-BK	(4) 60W-c	12.5"	19.5"	94"	72"	110"	4.875" x 4.875"

See z-lite.com for additional images/drawings of these fixtures

# Beacon





| A |

| B |

| C |



Item A in BK finish is available in Coastal Grade



	Product	Available Finish	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	568CHXXL-BK	BK (Coastal)	(4) 60W-c	16"	28"	102.5"	72"	110"	5" x 5"
B	568CHXL-ORB	BK, ORB	(3) 60W-c	12"	21.5"	96.75"	72" chain	110"	5" x 5"
C	568CHB-BK	BK, ORB	(2) 60W-c	9.5"	17.5"	92.75"	72" chain	110"	5" x 5"

See z-lite.com for additional images/drawings of these fixtures

# Seoul




| A |

| B |

| C |



Item A in BK finish is available in Coastal Grade



	Product	Available Finish	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	571CHXXL-BK	BK (Coastal)	(4) 60W-c	18"	28"	102.5"	72"	110"	5" x 5"
B	571CHXL-ORB	BK, ORB	(3) 60W-c	14"	21.25"	96.5"	72"	110"	5" x 5"
C	571CHB-BK	BK, ORB	(2) 60W-c	11.25"	17.5"	92.75"	72"	110"	5" x 5"

See z-lite.com for additional images/drawings of these fixtures

# Glenwood



| A |

	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	586CHB-BK	(1) 100W-m	7.5"	22.25"	96"	72"	110"	5.25"

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Brookside




| A |

	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	583CHB-BK	(1) 100W-m	9.5"	17"	96"	72"	110"	5" diameter

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures


# Dunbroch



	Product	Available Finish	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	584CHB-BK	BK, DBZ-OBS	(1) 60W-m	8"	26.75"	65.25"	36"	48"	4.5" diameter
B	584CHB-DBZ-OBS	BK, DBZ-OBS	(1) 60W-m	8"	26.75"	65.25"	36"	48"	4.5" diameter

See z-lite.com for additional images/drawings of these fixtures

# Nuri



	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	596CHB-BK	(1) 100W-m	7.5"	19.75"	93.75"	72"	110"	5" square
B	596CHM-BK	(1) 100W-m	7.5"	16"	90"	72"	110"	5" square

See z-lite.com for additional images/drawings of these fixtures


# Sana



| A |



| B |



	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	592CHB-BK	(3) 60W-c	8"	24.25"	98.25"	72" chain	110"	5" x 5" square
B	592CHM-BK	(1) 100W-m	6.75"	18"	92"	72" chain	110"	5" x 5" square

See z-lite.com for additional images/drawings of these fixtures


# Portland



| A |



| B |



	Product	Available Finish	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	531CHB-BK	BK, ORB	(1) 100W-m	9.5"	15.25"	76.25"	60"	110"	5" diameter
B	531CHM-ORB	BK, ORB	(1) 100W-m	8"	13.5"	74.5"	60"	110"	5" diameter

See z-lite.com for additional images/drawings of these fixtures

# Abbey



| A |



	Product	Available Finish	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	549CHB-BK	BK	(1) 100W-m	7.75"	18"	79"	60"	110"	4.75" diameter

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures


# Aspen



| A |



| B |



	Product	Available Finish	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	554CHB-BK	BK, ORB	(1) 100W-m	11"	14.25"	87.25"	72"	110"	5.25" diameter
B	554CHB-ORB	BK, ORB	(1) 100W-m	11"	14.25"	87.25"	72"	110"	5.25" diameter

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Davina



| A |



Finish



Black

Glass



Clear Ribbed Glass

	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	5016CHB-BK	(4) 60W-c	12"	23.75"	64.5"	36"	48"	5.125" diameter

See z-lite.com for additional images/drawings of these fixtures

# Westover



| A |



| B |

Finish



Black

Glass




Clear Beveled Glass

	Product	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	580CHB-BK	(3) 60W-c	10.5"	20.75"	98"	96"	110"	5" diameter
B	580CHM-BK	(2) 60W-c	8.75"	18.75"	96"	96"	110"	5" diameter

See z-lite.com for additional images/drawings of these fixtures

# Jordan



	Product	Available Finish	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	570CHXL-BK	BK, ORB	(1) 60W-m	12"	18.75"	93.25"	72" chain	110"	5" diameter
B	570CHB-ORB	BK, ORB	(1) 60W-m	10"	16.25"	90.5"	72" chain	110"	5" diameter

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Roundhouse




Item A in BK finish is available in Coastal Grade



	Product	Available Finish	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	569CHXL-BK	BK (Coastal)	(1) 60W-m	12"	28.25"	102.5"	72" chain	110"	5" diameter
B	569CHB-BK	BK	(1) 60W-m	9.25"	22.5"	97"	72" chain	110"	5" diameter

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Armstrong




| A |

| B |

	Product	Available Finish	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	533CHB-BK	BK, RBRZ	(3) 60W-c	12.5"	22.5"	83.5"	60" chain	110"	4.75" diameter
B	533CHM-RBRZ	BK, RBRZ	(2) 60W-c	10"	19"	80"	60" chain	110"	4.75" diameter

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures

# Annex



| A |

| B |

	Product	Available Finish	Bulbs/Wattage	W	H	Overall H	Chain	Wire	Ceiling Plate Size
A	563CHM-BK	BK, RT	(1) 100W-m	8"	13.75"	---	24" chain	42"	5.25" diameter
B	563CHM-RT	BK, RT	(1) 100W-m	8"	13.75"	---	24" chain	42"	5.25" diameter

See [z-lite.com](http://z-lite.com) for additional images/drawings of these fixtures



5018CHXL-BK (page 31)





# Outdoor Post Head Fixtures

# Luca



| A |



| B |

Finish



Black



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Source/ Wattage	Source Lumens	Delivered Lumens	CCT	CRI	W	H
A	517PHB-BK-LED	(1) 11W LED	900	330	2700K	>90	9.25"	27.75"
B	517PHM-BK-LED	(1) 8W LED	687	270	2700K	>90	7.25"	21.75"

See z-lite.com for additional images/drawings of these fixtures

Round  
mounting (A, B):



533PM  
BK - Black



PM  
BK - Black (only)



553PM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Leland



| A |



| B |



Finish



Black



**5CCT Dimmable:**  
**2700K, 3000K, 3500K, 4000K, 5000K**  
CRI (Color Rendering Index) **>90**

	Product	Source/ Wattage	Source Lumens	Delivered Lumens	CCT	CRI	W	H
A	5005PHB-BK-LED	(1) 16W LED	1750LM	700LM	5CCT	>90	9"	26.25"
B	5005PHM-BK-LED	(1) 12W LED	1170LM	600LM	5CCT	>90	7"	21"

See z-lite.com for additional images/drawings of these fixtures

# Barwick



Items B, C in BK finish are available in Coastal Grade

Finish



Black



| A |



| B |



| C |



| D |



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**


	Product	Available Finish	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	W	H
A	585PHBR-BK-LED	BK	(1) 14W LED	1190	460	2700K	>90	7"	27"
B	585PHMR-BK-LED	BK (Coastal)	(1) 14W LED	1190	500	2700K	>90	6.25"	21.25"
C	585PHBS-BK-LED	BK (Coastal)	(1) 14W LED	1190	460	2700K	>90	7"	25.75"
D	585PHMS-BK-LED	BK	(1) 14W LED	1190	480	2700K	>90	6.25"	19.75"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B):



533PM  
BK - Black  
SL - Silver




PM  
BK - Black (only)



553PM  
BK - Black

Square mounting (C, D):



SQPM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Luttrell



Items A, B, D in BK finish are available in Coastal Grade

Finish



Black



| A |



| B |



| C |



| D |



Color Temperature - **2700K**  
CRI (Color Rendering Index) **>90**  
**Replaceable components**

	Product	Available Finish	Source/Wattage	Source Lumens	Delivered Lumens	CCT	CRI	L/Ext.	W	H
A	566PHXLR-BK-LED	BK (Coastal)	(1) 27W LED	2295	1120	2700K	>90	14.25"	11.75"	30.5"
B	566PHBR-BK-LED	BK (Coastal)	(1) 12W LED	1094	512	2700K	>90	---	10.5"	21.75"
C	566PHXLS-BK-LED	BK	(1) 27W LED	2295	1110	2700K	>90	14.25"	11.75"	29"
D	566PHBS-BK-LED	BK (Coastal)	(1) 12W LED	1094	504	2700K	>90	---	10.5"	21.75"

See z-lite.com for additional images/drawings of these fixtures

# Hartwell



Round base models



| A |



| B |



| C |



Finish  
Black

Glass  
Clear Seedy Glass


	Product	Available Finish	Bulbs/Wattage	W	H
A	5019PHXXLR-BK	BK	(6) 60W-c	15"	32.75"
B	5019PHXLR-BK	BK	(5) 60W-c	12"	26.75"
C	5019PHBR-BK	BK	(4) 60W-c	10"	22.75"

See z-lite.com for additional images/drawings of these fixtures

Round mounting  
(A, B, C above):



533PM  
BK - Black




PM  
BK - Black



553PM  
BK - Black

Square mounting  
(D, E, F below):



SQPM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Hartwell



Square base models



| D |



| E |



| F |



Finish  
Black

Glass  
Clear Seedy Glass

	Product	Available Finish	Bulbs/Wattage	W	H
D	5019PHXXLS-BK	BK	(6) 60W-c	15"	31.5"
E	5019PHXLS-BK	BK	(5) 60W-c	12"	25.25"
F	5019PHBS-BK	BK	(4) 60W-c	10"	21.25"

See z-lite.com for additional images/drawings of these fixtures

# Nova



| A |



| B |



| C |




| D |



Finish Glass



Black



Clear Glass

	Product	Available Finish	Bulbs/Wattage	W	H
A	5018PHXLR-BK	BK	(5) 60W-c	12.5"	35"
B	5018PHBR-BK	BK	(4) 60W-c	10.5"	27.5"
C	5018PHXLS-BK	BK	(5) 60W-c	12.5"	34.25"
D	5018PHBS-BK	BK	(4) 60W-c	10.5"	26.75"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B):



533PM  
BK - Black



PM  
BK - Black (only)



553PM  
BK - Black

Square mounting (C, D):



SQPM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Tiberius



| A |



| B |



| C |



| D |



Finish Glass



Black



Light Seedy Glass

	Product	Available Finish	Bulbs/Wattage	W	H
A	5017PHXLR-BK	BK	(6) 60W-c	12"	34.75"
B	5017PHBR-BK	BK	(4) 60W-c	9"	25.25"
C	5017PHXLS-BK	BK	(6) 60W-c	12"	34"
D	5017PHBS-BK	BK	(4) 60W-c	9"	24.5"

See z-lite.com for additional images/drawings of these fixtures

# Rainer



Round base models



| A |



| B |



| C |



Finish  
Black

Glass  
Clear Seedy Glass


	Product	Available Finish	Bulbs/Wattage	W	H
A	5015PHXXLR-BK	BK	(6) 60W-c	17.5"	31.5"
B	5015PHXLR-BK	BK	(5) 60W-c	15.5"	27.5"
C	5015PHBR-BK	BK	(4) 60W-c	13.5"	24.25"

See z-lite.com for additional images/drawings of these fixtures

Round mounting  
(A, B, C above):



533PM  
BK - Black



PM  
BK - Black



553PM  
BK - Black

Square mounting  
(D, E, F below):



SQPM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Rainer



Square base models



| D |



| E |



| F |



Finish  
Black

Glass  
Clear Seedy Glass

	Product	Available Finish	Bulbs/Wattage	W	H
D	5015PHXXLS-BK	BK	(6) 60W-c	17.5"	30"
E	5015PHXLS-BK	BK	(5) 60W-c	15.5"	26"
F	5015PHBS-BK	BK	(4) 60W-c	13.5"	22.75"

See z-lite.com for additional images/drawings of these fixtures

# Gannon



Round base models



| A |



| B |



| C |



Finish



Black

Glass



Clear Beveled Glass

	Product	Available Finish	Bulbs/Wattage	W	H
A	5008PHXXLR-BK	BK	(5) 60W-c	16"	40.25"
B	5008PHXLR-BK	BK	(3) 60W-c	12"	31.50"
C	5008PHBR-BK	BK	(3) 60W-c	10"	26.75"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B, C above):



533PM  
BK - Black




PM  
BK - Black



553PM  
BK - Black

Square mounting (D, E, F below):



SQPM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Gannon



Square base models



| D |



| E |



| F |



Finish



Black

Glass



Clear Beveled Glass

	Product	Available Finish	Bulbs/Wattage	W	H
D	5008PHXXLS-BK	BK	(5) 60W-c	16"	38.75"
E	5008PHXLS-BK	BK	(3) 60W-c	12"	30"
F	5008PHBS-BK	BK	(3) 60W-c	10"	25.25"

See z-lite.com for additional images/drawings of these fixtures


# Aura



| A |



| B |



	Product	Available Finishes	Source/Wattage	W	H
A	5013PHBR-BK	BK	(1) 60W-m	8"	25.75"
B	5013PHBS-BK	BK	(1) 60W-m	8"	24.5"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A above, A, B below):



533PM  
BK - Black



PM  
BK - Black (only)



553PM  
BK - Black

Square mounting (B above, C, D below):



SQPM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Broughton



| A |



Item B in BK finish is available in Coastal Grade



| B |



| C |



| D |

	Product	Available Finish	Bulbs/Wattage	W	H
A	521PHBR-BK	BK	(4) 60W-c	12.5"	22.5"
B	521PHMR-BK	BK (Coastal)	(2) 60W-c	10.25"	19.25"
C	521PHBS-BK	BK	(4) 60W-c	12.5"	21.75"
D	521PHMS-BK	BK	(2) 60W-c	10.25"	18.5"

See z-lite.com for additional images/drawings of these fixtures

# Seoul



Round base models




All round base items in BK finish are available in Coastal Grade

Finish



Black

Finish



Oil Rubbed Bronze

Glass



Clear Beveled Glass



| A |



| B |



| C |


	Product	Available Finish	Bulbs/Wattage	W	H
A	571PHXXLR-BK	BK (Coastal)	(4) 60W-c	18"	30.75"
B	571PHXLR-BK	BK (Coastal), ORB	(3) 60W-c	14"	23.75"
C	571PHBR-ORB	BK (Coastal), ORB	(2) 60W-c	11.25"	19.75"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B, C above)



533PM  
BK - Black  
ORB - Oil Rubbed Bronze



PM  
BK - Black (only)



553PM  
BK - Black  
ORB - Oil Rubbed Bronze

Square mounting (D, E, F below):



SQPM  
BK - Black  
ORB - Oil Rubbed Bronze

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Seoul



Square base models

Finish



Black

Finish



Oil Rubbed Bronze

Glass



Clear Beveled Glass



| D |



| E |



| F |

	Product	Available Finish	Bulbs/Wattage	W	H
D	571PHXXLS-BK	BK	(4) 60W-c	18"	29.75"
E	571PHXLS-ORB	BK, ORB	(3) 60W-c	14"	22.25"
F	571PHBS-BK	BK, ORB	(2) 60W-c	11.25"	18.25"

See z-lite.com for additional images/drawings of these fixtures

# Talbot



Round base models



All items in BK finish are available in Coastal Grade

Finish



Black

Glass



Clear Beveled Glass (with BK finish)

Finish



Oil Rubbed Bronze

Glass



Clear Seedy Glass (with ORB finish)



| A |



| B |



| C |



| D |

	Product	Available Finish	Bulbs/Wattage	W	H
A	579PHLXR-BK	BK (Coastal), ORB	(4) 60W-c	19.5"	34.25"
B	579PHLXR-ORB	BK (Coastal), ORB	(3) 60W-c	12.25"	23.75"
C	579PHBR-BK	BK (Coastal), ORB	(3) 60W-c	10"	20"
D	579PHMR-BK	BK (Coastal), ORB	(1) 100W-m	8.25"	16.5"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B, C, D above):



533PM  
BK - Black  
ORB - Oil  
Rubbed Bronze



PM  
BK - Black (only)



553PM  
BK - Black  
ORB - Oil  
Rubbed Bronze

Square mounting (E, F, G, H below):



SQPM  
BK - Black  
ORB - Oil  
Rubbed Bronze

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Talbot



Square base models



All items in BK finish are available in Coastal Grade

Finish



Black

Glass



Clear Beveled Glass (with BK finish)

Finish



Oil Rubbed Bronze

Glass



Clear Seedy Glass (with ORB finish)



| E |



| F |



| G |



| H |

	Product	Available Finish	Bulbs/Wattage	W	H
E	579PHLXS-BK	BK (Coastal), ORB	(4) 60W-c	19.5"	33.75"
F	579PHXLS-ORB	BK (Coastal), ORB	(3) 60W-c	12.25"	22.25"
G	579PHBS-BK	BK (Coastal), ORB	(3) 60W-c	10"	18.5"
H	579PHMS-BK	BK (Coastal), ORB	(1) 100W-m	8.25"	15"

See z-lite.com for additional images/drawings of these fixtures

# Beacon



Round base models




All items in BK finish are available in Coastal Grade

Finish



Black

Finish



Oil Rubbed Bronze

Glass



Clear Beveled Glass



| A |



| B |



| C |

	Product	Available Finish	Bulbs/Wattage	W	H
A	568PHXXLR-BK	BK (Coastal)	(4) 60W-c	16"	31"
B	568PHXLR-ORB	BK (Coastal), ORB	(3) 60W-c	12"	23.5"
C	568PHBR-BK	BK (Coastal), ORB	(2) 60W-c	9.5"	19.5"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B, C above):



533PM  
BK - Black  
ORB - Oil Rubbed Bronze




PM  
BK - Black (only)



553PM  
BK - Black  
ORB - Oil Rubbed Bronze

Square mounting (D, E, F below):



SQPM  
BK - Black  
ORB - Oil Rubbed Bronze

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Beacon




Square base models




All items in BK finish are available in Coastal Grade

Finish



Black

Finish



Oil Rubbed Bronze

Glass



Clear Beveled Glass



| D |



| E |



| F |

	Product	Available Finish	Bulbs/Wattage	W	H
D	568PHXXLS-BK	BK (Coastal)	(4) 60W-c	16"	29.75"
E	568PHXLS-BK	BK (Coastal), ORB	(3) 60W-c	12"	22.25"
F	568PHBS-ORB	BK (Coastal), ORB	(2) 60W-c	9.5"	19.5"

See z-lite.com for additional images/drawings of these fixtures

# Aspen



Round base models




| A |



| B |



| C |



	Product	Available Finish	Bulbs/Wattage	W	H
A	554PHXL-BK	BK, ORB	(3) 60W-c	11"	22.5"
B	554PHB-ORB	BK, ORB	(1) 100W-m	11"	16.25"
C	554PHM-BK	BK, ORB	(1) 100W-m	9"	14.75"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B, C):



533PM  
BK - Black  
ORB - Oil  
Rubbed Bronze



PM  
BK - Black (only)



553PM  
BK - Black  
ORB - Oil  
Rubbed Bronze

Square mounting (D, E, F):



SQPM  
BK - Black  
ORB - Oil  
Rubbed Bronze

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Aspen



Square base models




| D |



| E |



| F |



	Product	Available Finish	Bulbs/Wattage	W	H
D	554PHXLS-BK	BK, ORB	(3) 60W-c	11"	21"
E	554PHBS-ORB	BK, ORB	(1) 100W-m	11"	15"
F	554PHMS-BK	BK, ORB	(1) 100W-m	9"	13.25"

See z-lite.com for additional images/drawings of these fixtures

# Sana



	Product	Available Finish	Bulbs/Wattage	W	H
A	592PHBR-BK	BK	(3) 60W-c	8.25"	26.5"
B	592PHMR-BK	BK	(2) 60W-c	7"	20.25"
C	592PHBS-BK	BK	(3) 60W-c	8.25"	26.25"
D	592PHMS-BK	BK	(2) 60W-c	7"	20"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B):



533PM  
BK - Black



PM  
BK - Black (only)



553PM  
BK - Black

Square mounting (C, D):




SQPM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Dunbroch



Item D in BK finish is available in Coastal Grade



	Product	Available Finish	Bulbs/Wattage	W	H
A	584PHBR-BK	BK, DBZ-OBS	(1) 60W-m	8"	27.75"
B	584PHMR-DBZ-OBS	BK, DBZ-OBS	(1) 60W-m	8"	21.75"
C	584PHBS-DBZ-OBS	BK, DBZ-OBS	(1) 60W-m	8"	26.25"
D	584PHMS-BK	BK (Coastal), DBZ-OBS	(1) 60W-m	8"	20.25"

See z-lite.com for additional images/drawings of these fixtures

# Nuri




	Product	Available Finish	Bulbs/Wattage	W	H
A	596PHBR-BK	BK	(1) 100W-m	7.5"	21.5"
B	596PHMR-BK	BK	(1) 100W-m	7.5"	17.75"
C	596PHBS-BK	BK	(1) 100W-m	7.5"	21"
D	596PHMS-BK	BK	(1) 100W-m	7.5"	17.5"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B):



533PM  
BK - Black



PM  
BK - Black (only)



553PM  
BK - Black

Square mounting (C, D):



SQPM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Glenwood



Items A, B, C are available in Coastal Grade



	Product	Available Finish	Bulbs/Wattage	W	H
A	586PHBR-BK	BK (Coastal)	(1) 100W-m	7.5"	20"
B	586PHMR-BK	BK (Coastal)	(1) 60W-m	5.5"	15"
C	586PHBS-BK	BK (Coastal)	(1) 100W-m	7.5"	20"
D	586PHMS-BK	BK	(1) 60W-m	5.5"	15"

See z-lite.com for additional images/drawings of these fixtures

# Brookside



| A |

| B |

| C |

| D |

	Product	Available Finish	Bulbs/Wattage	W	H
A	583PHBR-BK	BK	(1) 100W-m	9.5"	19.5"
B	583PHMR-BK	BK	(1) 100W-m	7.5"	16.5"
C	583PHBS-BK	BK	(1) 100W-m	9.5"	18.75"
D	583PHMS-BK	BK	(1) 100W-m	7.5"	15.75"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B):



533PM  
BK - Black



PM  
BK - Black (only)



553PM  
BK - Black


Square mounting (C, D):



SQPM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Abbey



| A |

| B |

| C |

| D |

	Product	Available Finish	Bulbs/Wattage	W	H
A	549PHB-BK-R	BK	(1) 100W-m	7.75"	19.75"
B	549PHM-BK-R	BK	(1) 100W-m	6.75"	17.25"
C	549PHB-BK	BK	(1) 100W-m	7.75"	19.25"
D	549PHM-BK	BK	(1) 100W-m	6.75"	15.75"

See z-lite.com for additional images/drawings of these fixtures

# Portland



Round base models



All round base items in BK finish are available in Coastal Grade

Finish



Black

Glass



Clear Beveled Glass (with BK finish)

Finish



Oil Rubbed Bronze

Glass



Clear Seedy Glass (with ORB finish)



| A |



| B |



| C |


	Product	Available Finish	Bulbs/Wattage	W	H
A	531PHBXL-BK	BK (Coastal), ORB	(1) 100W-m	9.5"	24"
B	531PHBR-ORB	BK (Coastal), ORB	(1) 100W-m	9.5"	18.5"
C	531PHMR-BK	BK (Coastal), ORB	(1) 100W-m	8"	16"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B, C):



533PM  
BK - Black  
ORB - Oil  
Rubbed Bronze




PM  
BK - Black (only)



553PM  
BK - Black  
ORB - Oil  
Rubbed Bronze

Square mounting (D, E, F):



SQPM  
BK - Black  
ORB - Oil  
Rubbed Bronze

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Portland



Square base models

Finish




Black

Glass



Clear Beveled Glass (with BK finish)

Finish



Oil Rubbed Bronze

Glass



Clear Seedy Glass (with ORB finish)



| D |



| E |



| F |

	Product	Available Finish	Bulbs/Wattage	W	H
D	531PHBXL-BK	BK, ORB	(1) 100W-m	9.5"	22.5"
E	531PHBS-ORB	BK, ORB	(1) 100W-m	9.5"	17"
F	531PHMS-BK	BK, ORB	(1) 100W-m	8"	14.5"

See z-lite.com for additional images/drawings of these fixtures

# Davina




| A |



| B |



Finish



Black

Glass



Clear Ribbed Glass

	Product	Available Finishes	Bulbs/Wattage	W	H
A	5016PHBR-BK	BK	(4) 60W-c	12"	25.25"
B	5016PHMR-BK	BK	(3) 60W-c	9"	20.25"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B):



533PM  
BK - Black



PM  
BK - Black (only)



553PM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Laurent



| A |



| B |



Finish



Black

Glass



Clear Seedy Glass (599)

Glass



Matte Opal Glass (597)

	Product	Available Glass	Source/Wattage	W	H
A	599PHB-BK	Opal (597), Seedy (599)	(1) 60W-m	12"	15.75"
B	597PHM-BK	Opal (597), Seedy (599)	(1) 60W-m	8"	11.5"

See z-lite.com for additional images/drawings of these fixtures

# Westover



| A |



| B |



	Product	Available Finish	Bulbs/Wattage	W	H
A	580PHB-BK	BK	(3) 60W-c	12.25"	20.25"
B	580PHM-BK	BK	(2) 60W-c	10"	18.25"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B above, A, B, C below):



533PM  
BK - Black



PM  
BK - Black (only)



553PM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Roundhouse



| A |



| B |



| C |



	Product	Available Finish	Bulbs/Wattage	W	H
A	569PHXL-BK	BK	(1) 60W-m	12"	31.25"
B	569PHB-BK	BK	(1) 60W-m	9.25"	25"
C	569PHM-BK	BK	(1) 60W-m	7.5"	20.5"


See z-lite.com for additional images/drawings of these fixtures

# Jordan




Items B, C in BK finish are available in Coastal Grade

Finish



Black

Finish



Oil Rubbed Bronze

Glass



Clear Seedy Glass



| A |



| B |



| C |

	Product	Available Finish	Bulbs/Wattage	W	H
A	570PHXL-ORB	BK, ORB	(1) 60W-m	12"	20.25"
B	570PHB-BK	BK (Coastal), ORB	(1) 60W-m	10"	17.75"
C	570PHM-ORB	BK (Coastal), ORB	(1) 60W-m	8"	14.75"

See z-lite.com for additional images/drawings of these fixtures

Round mounting (A, B, C):



533PM  
BK - Black  
ORB - Oil Rubbed Bronze



PM  
BK - Black (only)



553PM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Wakefield



| A |

Finish



Black

Glass




Clear Beveled Glass

	Product	Available Finish	Bulbs/Wattage	W	H
A	522PHM-BK	BK	(1) 100W-m	9.5"	22"

See z-lite.com for additional images/drawings of these fixtures

# Annex




	Product	Available Finish	Bulbs/Wattage	W	H
A	563PHM-BK	BK, RT	(1) 100W-m	8"	19.5"
B	563PHM-RT	BK, RT	(1) 100W-m	8"	19.5"

See z-lite.com for additional images/drawings of these fixtures

Round mounting  
(All BK for A above and B below, RBRZ for A below)



533PM  
BK - Black  
RBRZ - Rubbed Bronze




PM  
BK - Black (only)



553PM  
BK - Black

\*\*\* see pages 100-105 for Post Mount fixtures and Post combinations \*\*\*

# Armstrong



	Product	Available Finish	Bulbs/Wattage	W	H
A	533PHB-RBRZ	BK, RBRZ	(3) 60W-c	12.5"	23.5"
B	533PHM-BK	BK, RBRZ	(2) 60W-c	10"	21"

See z-lite.com for additional images/drawings of these fixtures

An advertisement for outdoor post fixtures. The scene is set at dusk or dawn, with a sky of soft blues and oranges. In the foreground, a fire pit with bright orange flames is visible. To the left, a dark wooden chair with a brown and tan striped cushion sits on a stone patio. Three tall, slender, black metal post fixtures with cylindrical, cage-like tops are arranged in a line on the patio. The background shows a waterfront area with palm trees, buildings, and a white railing. A white-bordered box in the upper right contains the text 'Outdoor Post Fixtures'.

# Outdoor Post Fixtures



# 536P-BK

All posts are cast Aluminum.  
 All parts, including anchors, are supplied  
 in the box. Super durable instal with  
 concrete anchor.  
 Post is available in BK and ORB finishes.  
 Max height of pole: 96"

Finish



Black



	Product	Available Finish	Bulbs/Wattage	W	H
A	568PHXS-536P-BK	BK, ORB	(3) 60W-c	12"	107"
B	536P-BK	BK, ORB	---	9.25"	96"
C	585PHMS-536P-BK-LED	BK	(1) 14W-LED	9.25"	113.75"



| D |



| E |



| F |



| G |

	Product	Available Finish	Bulbs/Wattage	W	H
D	592PHMS-536P-BK	BK	(2) 60W-c	9.25"	114.25"
E	596PHBS-536P-BK	BK	(1) 100W-m	9.25"	115"
F	5008PHBS-536P-BK	BK	(3) 60W-c	10"	119.25"
G	586PHBS-536P-BK	BK	(1) 100W-m	9.25"	114"

# 567P-BK

- Recommend only using Z-lite products.
- All posts are cast Aluminum.
- All parts, including anchors, are supplied in the box.
- Super durable instal with concrete anchor.
- Post is available in BK and DBZ finishes.
- Max height of pole: 75.75"

Finish



Black



| B |



| C |

	Product	Available Finish	Bulbs/Wattage	W	H
A	597PHB-567P-BK	BK	(1) 60W-m	12"	89.5"
B	567P-BK	BK, DBZ	---	9"	75.75"
C	517PHM-567P-BK-LED	BK	(1) 8W-LED	9"	95.5"



| D |



| E |



| F |

	Product	Available Finish	Bulbs/Wattage	W	H
D	569PHB-567P-BK	BK	(1) 60W-m	9.25"	98.5"
E	5016PHMR-567P-BK	BK	(3) 60W-c	9"	94"
F	594PHMR-567P-BK	BK	(1) 100W-m	10"	91.5"

# 564P-BK

- All posts are cast Aluminum.
- All parts, including anchors, are supplied in the box.
- Super durable instal with concrete anchor.
- Post is available in BK and ORB finishes.
- Max height of pole: 84.25"



| A |



Finish



Black

Note:

Post head G is not Coastal Grade



| B |



| C |

	Product	Available Finish	Bulbs/Wattage	W	H
A	597BP3-564P-BK	BK	(3) 60W-m	39"	107.5"
B	564P-BK	BK (Coastal), ORB	---	14.25"	84.25"
C	5008PHXLR-564P-BK	BK	(3) 60W-c	14.25"	113.5"

	Product	Available Finish	Bulbs/Wattage	W	H
D	579PHXLR-564P-ORB	BK (Coastal), ORB	(3) 60W-c	18.75"	104"
E	5017PHXLR-564P-BK	BK	(6) 60W-c	14.25"	116.75"
F	568PHXLR-564P-BK	BK (Coastal), ORB	(3) 60W-c	14.25"	93.75"
G	580PHB-4-564P-BK	BK	(4x3) 60W-c	33.25"	125.75"




| D |

| E |

| F |

| G |



# 519P-BK


- Recommend only using Z-lite products on this pole due to the 3" size.
- All posts are cast Aluminum.
- All parts, including anchors, are supplied in the box.
- Super durable instal with concrete anchor.
- Post is available in BK and OBR finishes.
- Max height of pole: 96"

| A |


Finish



Black



| B |



| C |

	Product	Available Finish	Bulbs/Wattage	W	H
A	5017PHXLR-519P-BK	BK	(6) 60W-m	12"	128.75"
B	519P-BK	BK, ORB	---	10"	96"
C	5008PHBR-519P-BK	BK	(3) 60W-c	10"	120.75"



| D |



| E |



| F |



| G |

	Product	Available Finish	Bulbs/Wattage	L/ext.	W	H
D	5016PHBR-519P-BK	BK	(4) 60W-c	---	12"	119.25"
E	580PHB-519P-BK	BK	(3) 60W-c	---	12.25"	114.25"
F	569MP3-519P-BK	BK	(3) 60W-m	21.75"	24"	114.5"
G	597PHB-519P-BK	BK	(1) 60W-m	---	12"	109.75"



| A |

## 518P-BK

- Recommend only using Z-lite products on this pole due to the 3" size.
- All posts are cast Aluminum.
- All parts, including anchors, are supplied in the box.
- Super durable instal with concrete anchor.
- Post is available in BK finish.
- Max height of pole: 96"

Finish



Black



| B |



| C |

	Product	Available Finish	Bulbs/Wattage	W	H
A	569PHXL-518P-BK	BK	(1) 60W-m	13"	125.25"
B	518P-BK	BK	---	13"	96"
C	597PHB-518P-BK	BK	(1) 60W-m	13"	109.75"



| D |



| E |



| F |



| G |

	Product	Available Finish	Bulbs/Wattage	W	H
D	5008PHBR-518P-BK	BK	(3) 60W-c	13"	122.75"
E	5017PHBR-518P-BK	BK	(4) 60W-c	13"	121.25"
F	5019PHBR-518P-BK	BK	(4) 60W-c	13"	118.75"
G	597PHB-4-518P-BK	BK	(4) 60W-m	34.5"	133.75"




# 5010P-BK

- All posts are cast Aluminum.
- All parts, including anchors, are supplied in the box.
- Super durable instal with concrete anchor.
- Post is available in BK finish.
- Max height of pole: 96"

| A |



Finish



Black

Note:

Post heads A and C are not Coastal Grade



| B |



| C |

	Product	Available Finish	Bulbs/Wattage	W	H
A	580PHB-4-5010P-BK	BK	(4x3) 60W-c	33.25"	138.25"
B	5010P-BK	BK	---	12"	96"
C	597MP6-5010P-BK	BK	(6) 60W-m	30"	121.5"



| D |



| E |



| F |

	Product	Available Finish	Bulbs/Wattage	W	H
D	5017PHXLR-5010P-BK	BK	(6) 60W-c	12"	129.5"
E	597PHB-4-5010P-BK	BK	(4) 60W-m	34.5"	133.75"
F	5008PHBR-5010P-BK	BK	(3) 60W-c	12"	121.5"



Finish



Black

| A |

# 5011P-BK

- All posts are cast Aluminum.
- All parts, including anchors, are supplied in the box.
- Super durable instal with concrete anchor.
- Post is available in BK finish.
- Max height of pole: 96"




| B |



| C |

	Product	Available Finish	Bulbs/Wattage	W	H
A	5005PHB-5011P-BK-LED	BK	(1) 16W-LED	10"	117.75"
B	5011P-BK	BK	---	10"	96"
C	579PHBR-5011P-BK	BK	(3) 60W-c	10"	111.5"



| D |



| E |



| F |



| G |

	Product	Available Finish	Bulbs/Wattage	W	H
D	5008PHBR-5011P-BK	BK	(3) 60W-c	10"	120.75"
E	597PHB-5011P-BK	BK	(1) 60W-m	12"	109.75"
F	5016PHBR-5011P-BK	BK	(4) 60W-c	12"	119.25"
G	5017PHBR-5011P-BK	BK	(4) 60W-c	10"	119.25"



# 5012P-BK

- All posts are cast Aluminum.
- All parts, including anchors, are supplied in the box.
- Super durable instal with concrete anchor.
- Post is available in BK finish.
- Max height of pole: 75.75"



Finish



Black

Note:

Post head C is not Coastal Grade



| B |



| C |

	Product	Available Finish	Bulbs/Wattage	W	H
A	5005PHM-5012P-BK-LED	BK	(1) 12W-LED	9"	91.75"
B	5012P-BK	BK	---	9"	75.75"
C	517PHM-5012P-BK-LED	BK	(1) 8W-LED	9"	92.5"



| D |



| E |



| F |



| G |

	Product	Available Finish	Bulbs/Wattage	W	H
D	597PHB-5012P-BK	BK	(1) 60W-m	12"	89.5"
E	585PHMR-5012P-BK-LED	BK	(1) 14W-LED	9"	95"
F	5016PHMR-5012P-BK	BK	(3) 60W-c	9"	94"
G	5008PHBR-5012P-BK	BK	(3) 60W-c	10"	100.5"



# 5009P120-BK

- All posts are cast Aluminum.
- All parts, including anchors, are supplied in the box.
- Super durable instal with concrete anchor.
- Post is available in BK finish.
- Max height of pole: 121"

| A |

Finish



Black



| B |



Direct burial post sectional connection close-up



| C |

	Product	Available Finish	Bulbs/Wattage	W	Total H
A	585PHMR-5009P120-BK	BK	(1) 14W-LED	6.25"	139.25"
B	5009P120-BK	BK	---	3"	121"
C	5008PHBR-5009P120-BK	BK	(3) 60W-c	10"	144.75"



| D |



| E |



| F |



| G |

	Product	Available Finish	Bulbs/Wattage	W	Total H
D	579PHMR-5009P120-BK	BK	(1) 100W-m	8.25"	134.5"
E	569PHM-5009P120-BK	BK	(1) 60W-m	7.5"	138.25"
F	583PHMR-5009P120-BK	BK	(1) 100W-m	7.5"	134.5"
G	5005PHM-5009P120-BK	BK	(1) 12W-LED	7"	137.25"



| A |

5009P96-BK

- All posts are cast Aluminum.
- All parts, including anchors, are supplied in the box.
- Super durable instal with concrete anchor.
- Post is available in BK finish.
- Max height of pole: 97"

Finish



Black



| B |



Direct burial post  
sectional connection  
close-up



| C |

	Product	Available Finish	Bulbs/Wattage	W	Total H
A	584PHMR-5009P96-BK	BK	(1) 60W-m	8"	115.75"
B	5009P96-BK	BK	---	3"	97"
C	580PHM-5009P96-BK	BK	(2) 60W-c	10"	112.25"



| D |



| E |



| F |



| G |

	Product	Available Finish	Bulbs/Wattage	W	Total H
D	570PHM-5009P96-BK	BK	(1) 60W-m	8"	108.75"
E	563PHM-5009P96-BK	BK	(1) 100W-m	8"	113.5"
F	5008PHBR-5009P96-BK	BK	(3) 60W-c	10"	120.75"
G	586PHMR-5009P96-BK	BK	(1) 60W-m	5.5"	108.5"

# Outdoor Pendants, Chandeliers and Flush Mounts







## Savanti

The Savanti pendant, with its delicately curved frame surrounding a matte opal glass shade, evokes an organic beauty. Install several over a kitchen island or dining table or have a single fixture illuminating a seating area. It is also damp rated for use in a covered outdoor living space. It is available in a Matte Black finish.



# INDOOR/ OUTDOOR

Finish

Glass



Matte  
Black

Opal Glass




	Product	Available Finish	Bulbs/Wattage	W	H	Overall-H	Chain/Rods	Wire L.	Ceiling/Wall Plate
A	7507-12MB	MB	(1) 60W-m	12"	16.5"	100"	6x12" + 1x6" + 1x3" rods	110"	5" diameter
B	7507-18MB	MB	(1) 60W-m	18"	19.5"	103"	6x12" + 1x6" + 1x3" rods	110"	5" diameter
C	7507-22MB	MB	(1) 60W-m	22"	25.5"	109"	6x12" + 1x6" + 1x3" rods	110"	5" diameter



## Elle

A modern take on a vintage feel, this damp-rated indoor/outdoor pendant will complement a variety of design styles from Mid-Century Modern to contemporary. The clear glass shade in a classic orb shape is surrounded by a beautifully handcrafted metal cage frame in a handsome Black finish that gives this pendant extra oomph.



# INDOOR/ OUTDOOR

Finish

Glass



Matte Black

Clear Glass



| A |



| B |

	Product	Bulbs/Wattage	W	H	Overall-H	Chain/Rods	Wire L.	Ceiling/Wall Plate
A	1940P16-MB	(1) 100W-m	16"	16.5"	100"	6x12"+1x6"+1x3" rods	110"	5" diameter
B	1940P24-MB	(1) 100W-m	24"	23.75"	107.5"	6x12"+1x6"+1x3" rods	110"	5" diameter



# Marlow

The fresh, clean design of the weather-resistant Marlow Collection can complement a range of outdoor lifestyle motifs with its choice of round and linear configurations. Whether you select the gorgeous Ashen Barn Board finish or the timeless Black finish, the Marlow will inject any outdoor living experience with the warm, cozy atmosphere of an interior setting.



| A |



| B |

# INDOOR/ OUTDOOR

Finish



Black

Finish



Ashen  
Barnboard

Glass



Clear Seedy  
Glass



| C |



| D |

	Product	Bulbs/Wattage	L/Ext.	W	H	Overall-H	Chain/Rods	Wire L.	Ceiling/Wall Plate
A	589-6BK	(6) 60W-c	---	27.5"	31"	105"	72" chain	110"	5" diameter
B	589-6ABB	(6) 60W-c	---	27.5"	31"	105"	72" chain	110"	5" diameter
C	589-5L-BK	(5) 60W-c	42"	4.5"	10"	141"	8x24"+4x12"+2x6"+2x3" rods	170"	11.75"L x 4.5"W
D	589-5L-ABB	(5) 60W-c	42"	4.5"	10"	141"	8x24"+4x12"+2x6"+2x3" rods	170"	11.75"L x 4.5"W

# Laurent

When it comes to a design that will look fresh for decades, it's hard to beat the allure of Mid-century Modern. The Laurent outdoor lighting series epitomizes the appeal of clean lines paired with supreme function, a primary tenet of Mid-century Modern design. Simple globes in clear lightly seeded glass provide softly diffused light, the opal white glass provides bright illumination diffused light, while the versatile Black finish grounds the look. Choose from a full assortment of styles, from one and two light sconces, hanging and post lanterns, to multi-light configurations, including up-and-downlight versions.





Items A and B with Opal Glass (597) are available in Coastal Grade

# INDOOR/ OUTDOOR

Finish



Black

Glass



Clear Seedy Glass (599)

Glass



Opal Glass (597)



| A |



| B |

	Product	Available Glass	Bulbs/Wattage	W	H	Overall H	Rods	Wire	Ceiling Plate Size
A	597P8-BK	Opal (597), Seedy (599)	(1) 60W-m	8"	9"	56.5"	3x12"+1x6"+1x3" rods	110"	4.875" diameter
B	599P12-BK	Opal (597), Seedy (599)	(1) 60W-m	12"	15"	62.5"	3x12"+1x6"+1x3" rods	110"	4.875" diameter



# Ansel

Add Modern Farmhouse appeal or Industrial loft-style charisma to any setting with our beautiful Ansel Collection. The open cage keeps the overall design fresh for today's décor, along with two versatile finishes – Galvanized or Black – that add character to the space.

# INDOOR/ OUTDOOR

Finish



Black


Finish



Galvanized



| A |



| B |

	Product	Available Finish	Bulbs/Wattage	W	H	Overall-H	Chain/Rods	Wire L.	Ceiling/Wall Plate
A	590P-BK	BK, GV	(1) 100W-m	11"	10.5"	94.5"	6x12"+1x6"+1x3" rods	110"	5.1" diameter
B	590P-GV	BK, GV	(1) 100W-m	11"	10.5"	94.5"	6x12"+1x6"+1x3" rods	110"	5.1" diameter

# exterior FLUSH-MOUNTS

These cast aluminum outdoor flush mount lights are designed to coordinate with the styles, textures and colours of many of our outdoor families.



| A |



| B |



| C |



| D |



| E |



| G |



| F |




| H |

	Product	Bulbs/Wattage	W	H
A	590F-BK	(1) 100W-m	11"	10.75"
B	590F-GV	(1) 100W-m	11"	10.75"
C	516F-BK	(2) 60W-m	10"	9.75"
D	516F-WB	(2) 60W-m	10"	9.75"

	Product	Bulbs/Wattage	W	H
E	555F-BK	(1) 100W-m	10"	6"
F	556F-BK	(1) 100W-m	10"	6"
G	555F-ORB	(1) 100W-m	10"	6"
H	556F-ORB	(1) 100W-m	10"	6"

# exterior FLUSH-MOUNTS

These cast aluminum outdoor flush mount lights are designed to coordinate with the styles, textures and colours of many of our outdoor families.



| I |



| K |



| J |



| L |



| N |



| M |


	Product	Bulbs/Wattage	W	H
I	583F-BK	(2) 60W-m	12"	6"
J	571F-BK	(3) 40W-m	12"	6"
K	571F-ORB	(3) 40W-m	12"	6"

	Product	Bulbs/Wattage	W	H
L	570F-BK	(3) 40W-m	12"	6"
M	570F-ORB	(3) 40W-m	12"	6"
N	592F-BK	(4) 25W-c	12"	5"




# Outdoor Posts and Pier Mounts

# NEW Coastal Posts



Z-Lite is introducing Coastal Finished Posts. These cast aluminum outdoor posts are protected by a marine-grade Black finish and a 5-year warranty. These posts have a standard 3" OD and will fit most outdoor fixtures with a 3" fitter. Pair with a Z-Lite fixture, or your own fixture



	Product	Top Outside Diameter	Height	Base	Notes
A	5012P-BK	3"	75.75"	9"	Cut post to suit desired height. Bolt down to concrete pillar
B	5011P-BK	3"	96"	10"	Cut post to suit desired height. Bolt down to concrete pillar
C	5010P-BK	3"	96"	12"	Cut post to suit desired height. Main center pole extends below grade in concrete.
D	564P-BK	3"	84.25"	14.25"	Comes complete with fitter

# Pier Mounts

These cast aluminum outdoor pier mounts are available in corresponding finishes to our various outdoor families.



All BK finished PMs are available in Coastal Grade

A	W	H
PM-BK (Black)(Coastal)	5.75"	3"
PM-ORB	5.75"	3"
B	W	H
533PM-BK (Black) (Coastal)	6"	4"
533PM-RBRZ (Rubbed Bronze)	6"	4"
533PM-ORB (Oil Rubbed Bronze)	6"	4"
533PM-ORBZ (Outdoor Rubbed Bronze)	6"	4"
533PM-DBZ (Deep Bronze)	6"	4"
C	W	H
SQPM-BK (Black) (Coastal)	6.75"	3.5"
SQPM-ORB (OIL Rubbed Bronze)	6.75"	3.5"
SQPM-ORBZ (Outdoor Rubbed Bronze)	6.75"	3.5"
SQPM-SL (Silver)	6.75"	3.5"
D	W	H
553PM-BK (Black) (Coastal)	6.25"	3.5
553PM-DBZ (Deep Bronze)	6.25"	3.5
553PM-ORBZ (Outdoor Rubbed Bronze)	6.25"	3.5
553PM-SL (Silver)	6.25"	3.5

# Direct Burial posts



Direct burial post sectional connection close-up

	Product	Top	L
A	5009P120-BK	3"	121"
B	5009P96-BK	3"	97"

Cut post to suit desired height.  
Pole extends below grade in concrete which determines final height.

# Heavy Duty posts

Upgrade your Z-Lite posts to one of these cast aluminum heavy duty posts. These posts are built thicker and heavier to withstand more rigorous conditions. They are also useful where a larger and more pronounced presence is required.




	Product	Top	Height	Base
A	512POST-BK	3"	121.5"	16.75"
B	511POST-BK	3"	96.5"	11.75"

All post lights come complete with mounting template, bolts and cap nuts.  
Cut post to suit desired height

# Optional posts

These cast aluminum outdoor optional posts are available in corresponding finishes to our various outdoor families. These posts have a standard 3" OD and will fit most outdoor fixtures with a 3" fitter. Pair with a Z-Lite fixture, or your own fixture. Please call our customer service experts to verify compatibility.



Item D in BK finish is available in Coastal Grade



| A |



| B |



| C |



| D |



| E |



| F |



| G |

	Product	Available Finish	Top Outside Diameter	Height	Base	Notes
A	519P-BK	BK, ORB	3"	96"	10"	Cut post to suit desired height
B	519P-ORB	BK, ORB	3"	96"	10"	Cut post to suit desired height
C	518P-BK	BK	3"	96"	13"	Cut post to suit desired height
D	564P-BK	BK (Coastal), ORB	3"	84.25"	14.25"	Comes complete with fitter
E	564P-ORB	BK, ORB	3"	84.25"	14.25"	Comes complete with fitter
F	567P-BK	BK, DBZ	3"	75.75"	9"	Cut post to suit desired height
G	567P-DBZ	BK, DBZ	3"	75.75"	9"	Cut post to suit desired height



# Post Top Adaptor



Finish



Black

Increase your light output by mounting up to 3 or 4 lamp heads onto one lamp post using our multi-lamp post top adaptor. The durable marine-grade black finish matches the lamp heads for a visually seamless look. Easily convert certain 3" diameter lamp post from a single light to a three or four lamp post head with this simple to install bracket.

All Z-Lite marine-grade coastal products are backed by a 5 year warranty.



| A |



| B |

	Product	W	H	Wire
A	501-3BK	22.75"	15.75"	110"
B	501-4BK	22.75"	25.75"	110"

Note:  
Post head "C" is  
not Coastal.



| C |



| D |

Finish  
Black

	Product	Bulbs/Wattage	W	H
C	580PHB-4-5010P-BK	(4x3) 60W-c	33.25"	138.25"
D	579PHBR-3-564P-BK	(3x3) 60W-c	29.5"	115"

# INDEX

1940P16-MB .....	91	5015S-BK .....	15	519P-ORB .....	103
1940P24-MB .....	91	5015XL-BK .....	15	520B-BK-LED .....	3
5004B-BK .....	23	5015XXL-BK .....	15	520M-BK-LED .....	3
5004M-BK .....	23	5016B-BK .....	22	520S-BK-LED .....	3
5004S-BK .....	23	5016CHB-BK .....	40	521B-BK .....	20
5005B-BK-LED .....	8	5016M-BK .....	22	521CHB-BK .....	34
5005CHB-BK-LED .....	30	5016PHBR-5011P-BK .....	79	521CHXL-BK .....	34
5005M-BK-LED .....	8	5016PHBR-519P-BK .....	73	521M-BK .....	20
5005PHB-5011P-BK-LED .....	78	5016PHBR-BK .....	60	521PHBR-BK .....	51
5005PHB-BK-LED .....	45	5016PHMR-5012P-BK .....	81	521PHBS-BK .....	51
5005PHM-5009P120-BK .....	83	5016PHMR-567P-BK .....	69	521PHMR-BK .....	51
5005PHM-5012P-BK-LED .....	80	5016PHMR-BK .....	60	521PHMS-BK .....	51
5005PHM-BK-LED .....	45	5016S-BK .....	22	521S-BK .....	20
5005S-BK-LED .....	8	5017B-BK .....	13	522M-BK .....	26
5006-24BK-LED .....	6	5017CHB-BK .....	32	522PHM-BK .....	62
5006-36BK-LED .....	6	5017CHXL-BK .....	32	522S-BK .....	26
5006-48BK-LED .....	6	5017M-BK .....	13	531B-BK .....	18
5006-60BK-LED .....	6	5017PHBR-5011P-BK .....	79	531BXL-ORB .....	18
5006-72BK-LED .....	6	5017PHBR-518P-BK .....	75	531CHB-BK .....	38
5007-18BK-LED .....	6	5017PHBR-BK .....	48	531CHM-ORB .....	38
5007-24BK-LED .....	6	5017PHBS-BK .....	48	531M-ORB .....	18
5007-36BK-LED .....	6	5017PHXLR-5010P-BK .....	77	531MXL-BK .....	18
5008B-BK .....	14	5017PHXLR-519P-BK .....	72	531PHBR-ORB .....	59
5008CHB-BK .....	33	5017PHXLR-564P-BK .....	71	531PHBS-ORB .....	59
5008CHXL-BK .....	33	5017PHXLR-BK .....	48	531PHBXL-BK .....	59
5008CHXL-BK .....	33	5017PHXLS-BK .....	48	531PHBXL-BK .....	59
5008M-BK .....	14	5017XL-BK .....	13	531PHMR-BK .....	59
5008PHBR-5009P120-BK .....	82	5018B-BK .....	12	531PHMS-BK .....	59
5008PHBR-5009P96-BK .....	85	5018CHB-BK .....	31	531S-BK .....	18
5008PHBR-5010P-BK .....	77	5018CHXL-BK .....	31	533B-RBRZ .....	25
5008PHBR-5011P-BK .....	79	5018M-BK .....	12	533CHB-BK .....	42
5008PHBR-5012P-BK .....	81	5018PHBR-BK .....	48	533CHM-RBRZ .....	42
5008PHBR-518P-BK .....	75	5018PHBS-BK .....	48	533M-BK .....	25
5008PHBR-519P-BK .....	72	5018PHXLR-BK .....	48	533PHB-RBRZ .....	63
5008PHBR-BK .....	50	5018PHXLS-BK .....	48	533PHM-BK .....	63
5008PHBS-536P-BK .....	67	5018S-BK .....	12	533PM-BK .....	102
5008PHBS-BK .....	50	5018XL-BK .....	12	533PM-DBZ .....	102
5008PHXLR-564P-BK .....	70	5019B-BK .....	13	533PM-ORB .....	102
5008PHXLR-BK .....	50	5019CHB-BK .....	31	533PM-ORBZ .....	102
5008PHXLS-BK .....	50	5019CHXL-BK .....	31	533PM-RBRZ .....	102
5008PHXXLR-BK .....	50	5019CHXXL-BK .....	31	533S-RBRZ .....	25
5008PHXXLS-BK .....	50	5019M-BK .....	13	534B-BK .....	25
5008S-BK .....	14	5019PHBR-518P-BK .....	75	534M-RBRZ .....	25
5008XL-BK .....	14	5019PHBR-BK .....	47	534S-BK .....	25
5008XXL-BK .....	14	5019PHBS-BK .....	47	536P-BK .....	66
5009P120-BK .....	82	5019PHXLR-BK .....	47	544B-BK-LED .....	9
5009P120-BK .....	102	5019PHXLS-BK .....	47	544S-ORBZ-LED .....	9
5009P96-BK .....	84	5019PHXXLR-BK .....	47	546BK .....	26
5009P96-BK .....	102	5019PHXXLS-BK .....	47	549B-BK .....	16
5010P-BK .....	76	5019S-BK .....	13	549CHB-BK .....	39
5010P-BK .....	101	5019XL-BK .....	13	549M-BK .....	16
5011P-BK .....	78	5019XXL-BK .....	13	549PHB-BK .....	58
5011P-BK .....	101	5020M-BK .....	10	549PHB-BK-R .....	58
5012P-BK .....	80	5021M-BK .....	10	549PHM-BK .....	58
5012P-BK .....	101	5022M-BK .....	10	549PHM-BK-R .....	58
5013B-BK .....	14	5023M-BK .....	10	549S-BK .....	16
501-3BK .....	104	5024M-BK .....	10	551BK .....	26
5013CHB-BK .....	33	5025B-BK .....	10	553PM-BK .....	102
5013M-BK .....	14	5026B-BK .....	10	553PM-DBZ .....	102
5013PHBR-BK .....	51	5027M-BK .....	10	553PM-ORBZ .....	102
5013PHBS-BK .....	51	511POST-BK .....	102	553PM-SL .....	102
5013S-BK .....	14	512POST-BK .....	102	554B-ORB .....	19
5014B-BK-LED .....	3	516F-BK .....	98	554CHB-BK .....	39
501-4BK .....	104	516F-WB .....	98	554CHB-ORB .....	39
5014M-BK-LED .....	3	517B-BK-LED .....	9	554M-BK .....	19
5014S-BK-LED .....	3	517CHB-BK-LED .....	30	554PHB-ORB .....	55
5015B-BK .....	15	517M-BK-LED .....	9	554PHBS-ORB .....	55
5015CHXL-BK .....	32	517PHB-BK-LED .....	45	554PHM-BK .....	55
5015CHXXL-BK .....	32	517PHM-5012P-BK-LED .....	80	554PHMS-BK .....	55
5015M-BK .....	15	517PHM-567P-BK-LED .....	68	554PHXLR-BK .....	55
5015PHBR-BK .....	49	517PHM-BK-LED .....	45	554PHXLS-BK .....	55
5015PHBS-BK .....	49	517S-BK-LED .....	9	554S-ORB .....	19
5015PHXLR-BK .....	49	518P-BK .....	74	554XL-BK .....	19
5015PHXLS-BK .....	49	518P-BK .....	103	555F-BK .....	98
5015PHXXLR-BK .....	49	519P-BK .....	72	555F-ORB .....	98
5015PHXXLS-BK .....	49	519P-BK .....	103	556F-BK .....	98

556F-ORB	98	571XXL-BK	18	585PHMS-536P-BK-LED	66
563CHM-BK	42	576M-2-BK-LED	7	585PHMS-BK-LED	46
563CHM-RT	42	576M-BK-LED	7	585S-BK-LED	10
563M-BK	25	576S-2-BK-LED	7	586B-BK	17
563M-RT	25	576S-BK-LED	7	586CHB-BK	36
563PHM-5009P96-BK	85	577B-BK-LED	4	586M-BK	17
563PHM-BK	63	577M-BK-LED	4	586PHBR-BK	57
563PHM-RT	63	577S-BK-LED	4	586PHBS-536P-BK	67
564P-BK	70	578BK-LED	8	586PHBS-BK	57
564P-BK	101, 103	578ORBZ-LED	8	586PHMR-5009P96-BK	85
564P-ORB	103	578SL-LED	8	586PHMR-BK	57
566B-BK-LED	11	578WH-LED	8	586PHMS-BK	57
566CHB-BK-LED	29	579B-BK	20	586S-BK	17
566CHXL-BK-LED	29	579CHB-ORB	34	587M-BK-LED	4
566M-BK-LED	11	579CHM-BK	34	587S-BK-LED	4
566PHBR-BK-LED	46	579CHXL-ORB	34	589-5L-ABB	93
566PHBS-BK-LED	46	579CHXL-BK	34	589-5L-BK	93
566PHXL-BK-LED	46	579M-ORB	20	589-6ABB	93
566PHXLS-BK-LED	46	579PHBR-3-564P-BK	105	589-6BK	93
566S-BK-LED	11	579PHBR-5011P-BK	78	590F-BK	98
566XL-BK-LED	11	579PHBR-BK	53	590F-GV	98
567P-BK	68	579PHBS-BK	53	590M-BK	11
567P-BK	103	579PHMR-5009P120-BK	83	590M-GV	11
567P-DBZ	103	579PHMR-BK	53	590P-BK	97
568B-ORB	21	579PHMS-BK	53	590P-GV	97
568CHB-BK	35	579PHXL-564P-ORB	71	592B-BK	15
568CHXL-ORB	35	579PHXL-ORB	53	592CHB-BK	38
568CHXL-BK	35	579PHXLS-ORB	53	592CHM-BK	38
568M-BK	21	579PHXLX-BK	53	592F-BK	99
568PHBR-BK	54	579PHXLX-BK	53	592M-BK	15
568PHBS-ORB	54	579S-BK	20	592PHBR-BK	56
568PHXL-564P-BK	71	579XL-ORB	20	592PHBS-BK	56
568PHXL-ORB	54	579XL-BK	20	592PHMR-BK	56
568PHXLS-536P-BK	66	580B-BK	24	592PHMS-536P-BK	67
568PHXLS-BK	54	580CHB-BK	40	592PHMS-BK	56
568PHXL-BK	54	580CHM-BK	40	592S-BK	15
568PHXLS-BK	54	580M-BK	24	594PHMR-567P-BK	69
568S-ORB	21	580PHB-4-5010P-BK	76	596B-BK	17
568XL-BK	21	580PHB-4-5010P-BK	105	596CHB-BK	37
568XL-BK	21	580PHB-4-564P-BK	71	596CHM-BK	37
569B-BK	22	580PHB-519P-BK	73	596M-BK	17
569CHB-BK	41	580PHB-BK	61	596PHBR-BK	57
569CHXL-BK	41	580PHM-5009P96-BK	84	596PHBS-536P-BK	67
569M-BK	22	580PHM-BK	61	596PHBS-BK	57
569MP3-519P-BK	73	580S-BK	24	596PHMR-BK	57
569PHB-567P-BK	69	580XS-BK	24	596PHMS-BK	57
569PHB-BK	61	581B-BK-LED	5	596S-BK	17
569PHM-5009P120-BK	83	581M-BK-LED	5	597B2-BK	24
569PHM-BK	61	581S-BK-LED	5	597M-BK	24
569PHXL-518P-BK	74	582B-BK-LED	5	597MP6-5010P-BK	76
569PHXL-BK	61	582M-BK-LED	5	597P8-BK	95
569S-BK	22	582S-BK-LED	5	597PHB-4-5010P-BK	77
569XL-BK	22	583B-BK	19	597PHB-4-518P-BK	75
570B-ORB	23	583CHB-BK	36	597PHB-5011P-BK	79
570CHB-ORB	41	583F-BK	99	597PHB-5012P-BK	81
570CHXL-BK	41	583M-BK	19	597PHB-518P-BK	74
570F-BK	99	583PHBR-BK	58	597PHB-519P-BK	73
570F-ORB	99	583PHBS-BK	58	597PHB-567P-BK	68
570M-ORB	23	583PHMR-5009P120-BK	83	597PHM-BK	60
570PHB-BK	62	583PHMR-BK	58	598B-BK	12
570PHM-5009P96-BK	85	583PHMS-BK	58	598M-BK	12
570PHM-ORB	62	583S-BK	19	598S-BK	12
570PHXL-ORB	62	584B-BK	16	599B-BK	24
570S-BK	23	584CHB-BK	37	599BP3-564P-BK	70
570XL-BK	23	584CHB-DBZ-OBS	37	599M2-BK	24
571B-ORB	18	584M-DBZ-OBS	16	599P12-BK	95
571CHB-BK	35	584PHBR-BK	56	599PHB-BK	60
571CHXL-ORB	35	584PHBS-DBZ-OBS	56	7507-12MB	89
571CHXL-BK	35	584PHMR-5009P96-BK	84	7507-18MB	89
571F-BK	99	584PHMR-DBZ-OBS	56	7507-22MB	89
571F-ORB	99	584PHMS-BK	56	PM-BK	102
571M-BK	18	584S-BK	16	PM-ORB	102
571PHBR-ORB	52	585B-BK-LED	10	SQPM-BK	102
571PHBS-BK	52	585CHB-BK-LED	29	SQPM-ORB	102
571PHXL-BK	52	585M-BK-LED	10	SQPM-ORBZ	102
571PHXLS-ORB	52	585PHBR-BK-LED	46	SQPM-SL	102
571PHXL-BK	52	585PHBS-BK-LED	46	T20-BK	26
571PHXLS-BK	52	585PHMR-5009P120-BK	82	T21BK	26
571S-ORB	18	585PHMR-5012P-BK-LED	81		
571XL-BK	18	585PHMR-BK-LED	46		



85 South Edgware Road, Unit #1,  
St. Thomas, ON, Canada N5P 2H7  
130 Eaton Drive, Shelbyville, TN  
37160 TN, USA

Dallas Trademart Suite 4600  
Phone: 800-681-9943 or 519-631-5300  
Fax: 800-670-0409 or 519-631-5330  
email: [info@z-lite.com](mailto:info@z-lite.com)  
web: [www.z-lite.com](http://www.z-lite.com)