




2016 June Supplement





	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
А	6000-12-BZGD	(12) 60W-c	18 1/4"	24 1/4"	38 3/8"	86 3/8"	3x12"+ 1x6"+ 1x3" rods	110″	4 3/4" diameter
В	6000-8B-BZGD	(8) 60W-c	17 1/8"	19 3/4"	29"	77"	3x12"+ 1x6"+ 1x3" rods	110″	4 3/4" diameter
С	6000-8A-BZGD	(8) 60W-c	21″	24 1/4"	16"	64"	3x12"+ 1x6"+ 1x3" rods	110″	4 3/4" diameter



	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
D	6000-7L-BZGD	(7) 60W-c	9 7/8″	42 3/8"	14 3/8""	62 3/8"	6x12" + 2x6" + 2x3" rods	110″	13 3/4" L x 4 3/4"W
E	6000-5L-BZGD	(5) 60W-c	9 7/8″	32 1/8"	14 3/8""	62 3/8"	6x12" + 2x6" + 2x3" rods	110″	14 1/8" L x 4 3/4"W









Items "H" and "I" can NOT be mounted upside down


I.

	Product	Bulbs/Wattage	L/ext.	w	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
F	6000MP-BZGD	(2) 60W-c	5 3/4"	11"	14 3/4"	62 7/8″	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
G	6000SFC-BZGD	(4) 60W-c	13 3/8″	16 1/2"	16 1/8″	64 1/8"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
Н	6000-1S-BZGD	(1) 60W-c	4"	4 1/2"	10 1/4"	10 1/4"			4 1/2″W x 10 1/4″H
1	6000-2S-BZGD	(2) 60W-c	4"	9"	10 1/4"	10 1/4"			9"W x 10 1/4"H






	Product	Bulbs/Wattage	L/ext.	w	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
А	6000-12-BN	(12) 60W-c	18 1/4"	24 1/4"	38 3/8"	86 3/8"	3x12"+ 1x6"+ 1x3" rods	110″	4 3/4" diameter
В	6000-8B-BN	(8) 60W-c	17 1/8"	19 3/4"	29"	77"	3x12"+ 1x6"+ 1x3" rods	110″	4 3/4" diameter
С	6000-8A-BN	(8) 60W-c	21"	24 1/4"	16"	64"	3x12"+ 1x6"+ 1x3" rods	110″	4 3/4" diameter



	Product	Bulbs/Wattage	L/ext.	w	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
D	6000-7L-BN	(7) 60W-c	9 7/8″	42 3/8"	14 3/8""	62 3/8"	6x12" + 2x6" + 2x3" rods	110″	13 3/4" L x 4 3/4"W
E	6000-5L-BN	(5) 60W-c	9 7/8″	32 1/8"	14 3/8""	62 3/8"	6x12" + 2x6" + 2x3" rods	110″	14 1/8" L x 4 3/4"W







Н.




I.


Items "H" and "I" can NOT be mounted upside down

	Product	Bulbs/Wattage	L/ext.	w	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
F	6000MP-BN	(2) 60W-c	5 3/4"	11"	14 3/4"	62 7/8″	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
G	6000SFC-BN	(4) 60W-c	13 3/8″	16 1/2"	16 1/8"	64 1/8″	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
Н	6000-1S-BN	(1) 60W-c	4"	4 1/2"	10 1/4"	10 1/4"			4 1/2″W x 10 1/4″H
1	6000-2S-BN	(2) 60W-c	4"	9"	10 1/4"	10 1/4"			9"W x 10 1/4"H






	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
Α	6000-12-CH	(12) 60W-c	18 1/4"	24 1/4"	38 3/8"	86 3/8"	3x12" + 1x6" + 1x3" rods	110"	4 3/4" diameter
В	6000-8B-CH	(8) 60W-c	17 1/8"	19 3/4"	29"	77"	3x12"+ 1x6"+ 1x3" rods	110″	4 3/4" diameter
С	6000-8A-CH	(8) 60W-c	21"	24 1/4"	16"	64"	3x12"+ 1x6"+ 1x3" rods	110"	4 3/4" diameter



	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
D	6000-7L-CH	(7) 60W-c	9 7/8"	42 3/8"	14 3/8""	62 3/8"	6x12" + 2x6" + 2x3" rods	110″	13 3/4" L x 4 3/4"W
Е	6000-5L-CH	(5) 60W-c	9 7/8"	32 1/8"	14 3/8""	62 3/8"	6x12" + 2x6" + 2x3" rods	110″	14 1/8" L x 4 3/4"W







Н.



I.

Items "H" and "I" can NOT be mounted upside down

	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
F	6000MP-CH	(2) 60W-c	5 3/4"	11"	14 3/4"	62 7/8"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
G	6000SFC-CH	(4) 60W-c	13 3/8"	16 1/2"	16 1/8"	64 1/8"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
Н	6000-1S-CH	(1) 60W-c	4"	4 1/2"	10 1/4"	10 1/4"			4 1/2"W x 10 1/4"H
1	6000-2S-CH	(2) 60W-c	4"	9″	10 1/4"	10 1/4"			9"W x 10 1/4"H





	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
Α	6002-6L-BZGD	(6) 60W-c	21 1/4"	24 3/8"	25 3/8"	73 3/4"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
В	6002-4S-BZGD	(4) 60W-c	17 1/4"	19 7/8"	20 5/8"	68 3/4"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter



	Product	Bulbs/Wattage	L/ext.	W	н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
С	6004-3S-BZGD	(3) 60W-c	12 7/8″	15 1/8″	23″	71″	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
D	6004-4L-BZGD	(4) 60W-c	15 1/8"	19 1/8"	30"	78"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter



	Product	Bulbs/Wattage	L/ext.	W	н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
Е	6002MP-BZGD	(1) 100W-m	11 7/8″	14 1/8″	15"	63"	3x12" + 1x6" + 1x3" rods	110"	4 3/4" diameter
F	6004MP-BZGD	(1) 100W-m	9″	11 3/8"	17 1/2″	65 1/2"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter





	Product	Bulbs/Wattage	L/ext.	W	н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
Α	6002-6L-BN	(6) 60W-c	21 1/4"	24 3/8"	25 3/8"	73 3/4″	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
В	6002-4S-BN	(4) 60W-c	17 1/4"	19 7/8"	20 5/8"	68 3/4"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter



	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
С	6004-3S-BN	(3) 60W-c	12 7/8"	15 1/8"	23″	71″	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
D	6004-4L-BN	(4) 60W-c	15 1/8″	19 1/8″	30″	78″	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter



	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
Е	6002MP-BN	(1) 100W-m	11 7/8″	14 1/8″	15"	63"	3x12" + 1x6" + 1x3" rods	110"	4 3/4" diameter
F	6004MP-BN	(1) 100W-m	9"	11 3/8"	17 1/2"	65 1/2″	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter



Persis

Contemporary design with retro aesthetics, the Persis collection of fixtures creates a modern look with timeless appeal. Bold, oval and sphere designs are finished in Satin Gold and Old Silver paired with wintage bulbs for a new twist on a classic look.





	Product	Bulbs/Wattage	Bulb Type	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
А	3000-5OS	(5) 60W-m	T26		22"	22"	94 3/4"	72" chain	110″	4 7/8" diameter
В	3000-6OS	(6) 60W-m	T26	46"	15″	18"	92 1/4″	2 x 72" chain	110″	8 1/4" L x 4 1/2"W oval
С	3000P-OS	(5) 60W-m	T26		28 1/4"	16 1/8″	88 3/4"	72" chain	110″	4 7/8" diameter



	Product	Bulbs/Wattage	Bulb Type	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
D	3000-3B-OS	(3) 60W-m	T26	46"	5 1/2"	12"	59"	9x12"+3x6"+3x3" rods	110″	46″L x 4 1/2″W
Е	3000MP-OS	(1) 60W-m	T26		5 1/2"	12"	59 1/2"	3x12"+1x6"+1x3" rods	110″	5" diameter
F	3000F2-OS	(2) 60W-m	T45		15"	6"				15" diameter
G	3000SF-OS	(2) 60W-m	T45		15"	10 3/4"				4 3/4" diameter





	Product	Bulbs/Wattage	Bulb Type	L/ext.	W	Н	Wall Plate Size
Н	3000-1S-OS	(1) 60W-m	T10	4 5/8"	4 3/4"	8 5/8"	4 3/4" W x 8 5/8"H
1	3000-2V-OS	(2) 60W-m	T10	4 3/4"	13″	8 1/8"	13"W x 4 3/4"H
J	3000-3V-OS	(3) 60W-m	T10	4 3/4"	22"	8 1/8"	22″W x 4 3/4″H
К	3000-4V-OS	(4) 60W-m	T10	4 3/4"	32"	8 1/8"	32″W x 4 3/4″H
L	3000-5V-OS	(5) 60W-m	T10	4 3/4"	40"	8 1/8"	40"W x 4 3/4"H

L.












Item "A" can NOT be mounted upside down.



	Product	Bulbs/Wattage	L/ext.	W	н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
А	8000-1S-BRZ	(1) 100W-m	6 1/2"	8 1/2"	14"				5"W x 12 1/4"H
В	8000MP-BRZ	(1) 100W-m		8"	10"	57"	3x12"+ 1x6"+ 1x3" rods	110"	4 3/4" diameter

A.



	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
С	8000-6L-BRZ	(6) 100W-m	42"	10″	11"	57"	6x12" + 2x6" + 2x3" rods	110″	13″L x 4 3/4″ W
D	8000-4L-BRZ	(4) 100W-m	32"	10″	11"	57"	6x12" + 2x6" + 2x3" rods	110″	13″L x 4 3/4″ W



	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
Е	8000-14BRZ	(4) 60W-c	14"	9 1/2"	56"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
F	8000-18BRZ	(4) 100W-m	18″	9 1/2"	57"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter









	Product	Bulbs/Wattage	W	Н	Overall-H	Wire Length	Ceiling Plate Size
Α	8001-1MP-BRZ	(1) 100W-m	4 3/4"	3″	124 3/4"	110″	4 3/4" diameter
В	8001-6P-BRZ	(6) 100W-m	10″	3″	124 3/4"	110"	9 7/8" diameter



	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Wire Length	Ceiling Plate Size
С	8001-3BRZ	(3) 100W-m		18″	2 1/2"	125″	110″	5" diameter
D	8001-6C-BRZ	(6) 100W-m		24"	2 1/2"	125″	110″	6" diameter
Е	8001-1S-BRZ	(1) 100W-m	5″	4 3/4"	13 3/4"			4 3/4" diameter




	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
F	8001-8MP-BRZ	(1) 100W-m	8″	10"	56 3/4"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
G	8001-14BRZ	(3) 100W-m	10"	14"	61 5/8″	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
Н	8001-23BRZ	(5) 100W-m	16"	23"	69 3/4"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
1	8001-32BRZ	(8) 100W-m	20″	32"	79 1/2"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter

Ascend

The Ascend collection of vanity fixtures creates a striking style with its steel banded shades. Utilizing Z-Lite's new long-lasting, replaceble LED technology, these fixtures provide energy efficiency while delivering optimum illumination. The Matte Opal glass paired with optional finishes of Brushed Nickel, or Chrome, offer a unique contemporary design.

Brushed Nickel











These vanity fixtures can be mounted up or down.



В.

D.






Ε.



Chrome







I.



These vanity fixtures can be mounted up or down.



Н.










The Avige collection of vanity lights evokes a stately style with its sizable yet moderate square hardware. Utilizing Z-Lite's new long-lasting, replaceble LED technology, these fixtures provide energy efficiency while delivering optimum illumination. The Matte Opal glass paired with optional finishes of Brushed Nickel, or Chrome, offer a unique transitional design.

Brushed Nickel



Chrome





The Avige collection of vanity lights evokes a stately style with its sizable yet moderate square hardware. Utilizing Z-Lite's new long-lasting, replaceble LED technology, these fixtures provide energy efficiency while delivering optimum illumination. The Matte Opal glass paired with optional finishes of Brushed Nickel, or Chrome, offer a unique transitional design.

Bronze



	Product	Source Lumens	ССТ	CRI	L/ext.	W	Н	Wall Plate Size
K	1916-1S-BRZ-LED	600LM	3000K	>90	4 7/8"	4 5/8"	7 3/4"	4 3/4"W x 4 3/4"H
L	1916-2V-BRZ-LED	1200LM	3000K	>90	4 7/8"	13 1/4"	7 1/4"	4 3/4"W x 4 3/4"H
М	1916-3V-BRZ-LED	1800LM	3000K	>90	4 7/8"	22"	7 1/4"	4 3/4"W x 4 3/4"H
N	1916-4V-BRZ-LED	2400LM	3000K	>90	4 7/8"	31"	7 1/4"	4 3/4"W x 4 3/4"H
0	1916-5V-BRZ-LED	3000LM	3000K	>90	4 7/8"	39 5/8"	7 1/4"	4 3/4"W x 4 3/4"H



Optum


The Optum collection vanity fixtures incorporate a transitional vintage industrial style with chic contemporary. Utilizing Z-Lite's new long-lasting replaceble LED technology, these fixtures provide energy efficiency while delivering optimum illumination. Matte Opal glass is paired with optional Brushed Nickel or Chrome finishes creating a clean design.

Bronze



	Product	Source Lumens	ССТ	CRI	L/ext.	W	Н	Wall Plate Size
Α	1917-1S-BRZ-LED	600LM	3000K	>90	5 1/4"	8"	6"	8"W x 4 1/2"H
В	1917-2V-BRZ-LED	1200LM	3000K	>90	5 1/4"	14"	6"	8"W x 4 1/2"H
С	1917-3V-BRZ-LED	1800LM	3000K	>90	5 1/4"	23 3/8"	6"	8"W x 4 1/2"H
D	1917-4V-BRZ-LED	2400LM	3000K	>90	5 1/4"	30"	6"	8"W x 4 1/2"H
Е	1917-5V-BRZ-LED	3000LM	3000K	>90	5 1/4"	38 3/4"	6"	8"W x 4 1/2"H





These fixtures can be mounted up or down



D. Colo

Color Temperature - **3000K** CRI (Color Rendering Index) >**90**



E.



C.

Optum

The Optum collection vanity fixtures incorporate a transitional vintage industrial style with chic contemporary. Utilizing Z-Lite's new long-lasting replaceble LED technology, these fixtures provide energy efficiency while delivering optimum illumination. Matte Opal glass is paired with optional Brushed Nickel or Chrome finishes creating a clean design.

Brushed Nickel



	Product	Source Lumens	ССТ	CRI	L/ext.	W	Н	Wall Plate
F	1917-1S-BN-LED	600LM	3000K	>90	5 1/4"	8″	6"	8"W x 4 1/2"H
G	1917-2V-BN-LED	1200LM	3000K	>90	5 1/4"	14"	6"	8"W x 4 1/2"H
Н	1917-3V-BN-LED	1800LM	3000K	>90	5 1/4"	23 3/8"	6"	8"W x 4 1/2"H
ı	1917-4V-BN-LED	2400LM	3000K	>90	5 1/4"	30"	6"	8"W x 4 1/2"H
J	1917-5V-BN-LED	3000LM	3000K	>90	5 1/4"	38 3/4"	6"	8"W x 4 1/2"H

I.





These vanity fixtures can be mounted up or down.







CRI (Color Rendering Index) >90



Н.

Chrome

K.



	Product	Source Lumens	ССТ	CRI	L/ext.	W	н	Wall Plate
K	1917-1S-CH-LED	600LM	3000K	>90	5 1/4"	8″	6″	8"W x 4 1/2"H
L	1917-2V-CH-LED	1200LM	3000K	>90	5 1/4"	14"	6″	8"W x 4 1/2"H
М	1917-3V-CH-LED	1800LM	3000K	>90	5 1/4"	23 3/8"	6"	8"W x 4 1/2"H
N	1917-4V-CH-LED	2400LM	3000K	>90	5 1/4"	30"	6″	8"W x 4 1/2"H
О	1917-5V-CH-LED	3000LM	3000K	>90	5 1/4"	38 3/4"	6″	8"W x 4 1/2"H

L.





These vanity fixtures can be mounted up or down.



M.





Color Temperature -3000**K** CRI (Color Rendering Index) >**90**





).









Also available:

Bronze / Matte Opal: pg 45-48



	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
А	7000-9BN	(9) 60W-m	29"	32 1/2"	107″	72" chain	110″	5 1/8" diameter
В	7000-5BN	(5) 100W-m	25″	27 5/8"	102 1/8"	72″ chain	110"	5 1/8" diameter









	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
С	7000MP-BN	(1) 100W-m	5 1/8"	9 1/2"	54 1/2"	3x12"+ 1x6"+ 1x3" rods	110″	5 1/8" diameter
D	7000-3BN	(3) 100W-m	22"	23 3/8"	97 7/8"	72" chain	110″	5 1/8" diameter
Е	7000SF-BN	(3) 100W-m	17 5/8"	15 5/8"				5 1/8" diameter
F	7000P-BN	(3) 100W-m	20 1/4"	22 3/8"	96 7/8"	72" chain	110″	5 1/8" diameter











Н.



	Product	Bulbs/Wattage	L/ext.	W	Н	Ceiling/Wall Plate Size
G	7000-1S-BN	(1) 100W-m	8 5/8"	5 1/8"	11"	5 1/8"W x 11"H
Н	7000-2V-BN	(2) 100W-m	8 5/8"	14"	10 3/8"	14"W x 4 7/8"H
	7000-3V-BN	(3) 100W-m	8 5/8"	22"	10 3/8"	22″W x 4 7/8″H
J	7000-4V-BN	(4) 100W-m	8 5/8"	30 1/8"	10 3/8"	30 1/8″W x 4 7/8″H
K	7000-5V-BN	(5) 100W-m	8 5/8"	38 1/4"	10 3/8"	38 1/4"W x 4 7/8"H

K.







Also available: Brushed Nickel / Matte Opal: pg. 41-44



	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
	7000-9BRZ	(9) 60W-m	29"	32 1/2"	107″	72" chain	110″	5 1/8" diameter
В	7000-5BRZ	(5) 100W-m	25"	27 5/8"	102 1/8"	72" chain	110″	5 1/8" diameter









	Product	Bulbs/Wattage			Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
	7000MP-BRZ	(1) 100W-m	5 1/8"	9 1/2"	54 1/2"	3x12" + 1x6" + 1x3" rods	110″	5 1/8" diameter
D	7000-3BRZ	(3) 100W-m	22"	23 3/8"	97 7/8"	72" chain	110"	5 1/8" diameter
	7000SF-BRZ	(3) 100W-m	17 5/8″	15 5/8"				5 1/8" diameter
	7000P-BRZ	(3) 100W-m	20 1/4"	22 3/8"	96 7/8"	72" chain	110"	5 1/8" diameter











I.







Κ.

Product	Bulbs/Wattage	L/ext.			Ceiling/Wall Plate Size
7000-1S-BRZ	(1) 100W-m	8 5/8"	5 1/8"	11"	5 1/8"W x 11"H
7000-2V-BRZ	(2) 100W-m	8 5/8"	14"	10 3/8"	14"W x 4 7/8"H
7000-3V-BRZ	(3) 100W-m	8 5/8"	22"	10 3/8"	22″W x 4 7/8″H
7000-4V-BRZ	(4) 100W-m	8 5/8"	30 1/8"	10 3/8"	30 1/8″W x 4 7/8″H
7000-5V-BRZ	(5) 100W-m	8 5/8"	38 1/4"	10 3/8"	38 1/4"W x 4 7/8"H

Ashton The graceful sweeping arms of the Brushed Nickel fixture synchronized with the elegant curves of the Matte Opal shades give the Ashton collection a classic yet contemporary presence.



	Product	Bulbs/Wattage	W	н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
Α	443-9-BN	(9) 100W-m	31"	32 1/4"	108 1/2"	72" chain	110″	5 1/2" diameter
В	443-5-BN	(5) 100W-m	25"	22 3/4"	99″	72" chain	110"	5 1/2" diameter
С	443-3-BN	(3) 100W-m	20 1/2"	19 3/4"	96″	72" chain	110″	5 1/2" diameter



	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling Plate Size
D	443F1-BN	(1) 100W-m	6"	7 1/4"				5" diameter
Е	443F2-BN	(2) 60W-m	13″	6 1/2"				13" diameter
F	443F3-BN	(3) 60W-m	15"	8"				15" diameter
G	443MP12-BN	(1) 100W-m	11 3/4"	5 3/4"	53 1/2"	3x12"+1x6"+1x3" rods	110″	5 1/2" diameter
Н	443SF-BN	(3) 100W-m	15 3/4"	11"				5 1/2" diameter
1	443P-BN	(3) 100W-m	15 3/4"	19 3/4"	96"	72" chain	110″	5 1/2" diameter



	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling/Wall Plate Size
J	443-1S-BN	(1) 100W-m	7 1/4"	6"	8"				5" x 8" oval
K	443-2V-BN	(2) 100W-m	7 1/4"	14 1/2"	8″				8" x 5" oval
L	443-3V-BN	(3) 100W-m	7 1/4"	23 1/4"	8″				8" x 5" oval
М	443-4V-BN	(4) 100W-m	7 1/4"	32"	8″				8" x 5" oval
N	443-5V-BN	(5) 100W-m	7 1/4"	40 3/4"	8″				8" x 5" oval
О	443MP-BN	(1) 100W-m		6"	5″	52 1/2"	3x12" + 1x6" + 1x3" rods	110″	5 1/2" diameter

Athena

Simple clean lines and classic detailing are offered inthis line of economical ceiling fixtures. Available in Brushed Nickel or Bronze hardware with a choice of Matte Opal or Alabaster glass.



	Product	Bulbs/Wattage			Ceiling Plate Size
	4001F11-AL-BN	(2) 60W-m	11″	5 1/4"	11" diameter
	4001F13-AL-BN	(2) 60W-m	13″	5 1/4"	13" diameter
	4001F15-AL-BN	(3) 60W-m	15″	5 1/4"	15" diameter
D	4001F11-AL-BRZ	(2) 60W-m	11"	5 1/4"	11" diameter
	4001F13-AL-BRZ	(2) 60W-m	13″	5 1/4"	13" diameter
	4001F15-AL-BRZ	(3) 60W-m	15″	5 1/4"	15" diameter





Product	Bulbs/Wattage	W	Н	Ceiling Plate Size
4001F11-MO-BN	(2) 60W-m			11" diameter
4001F13-MO-BN	(2) 60W-m	13″		13" diameter
4001F15-MO-BN	(3) 60W-m	15″		15" diameter
4001F11-MO-BRZ	(2) 60W-m			11" diameter
4001F13-MO-BRZ	(2) 60W-m	13″		13" diameter
4001F15-MO-BRZ	(3) 60W-m	15″	5 1/4"	15" diameter

Lankin

The Lankin collection combines specially crafted mercury glass layered in front of a Mica shade. Bronze hardware completes these fixtures for a warm and modern craftsmen's design.







C.



	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling/Wall Plate Size
А	Z16-54FL	(3) 100W-m		16"	60″				
В	Z14-54TL	(2) 100W-m		14"	22"				
С	Z8-54WS	(1) 60W-c	4"	8″	10"				4"W x 8"H
D	Z8-54MP-C	(1) 100W-m		8″	9 1/4"	55 1/4"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
Е	Z14-54P-C	(3) 100W-m		14"	8″	54"	3x12" + 1x6" + 1x3" rods	110″	6" diameter
F	Z18-54P-C	(3) 100W-m		18″	8″	54"	3x12" + 1x6" + 1x3" rods	110″	6" diameter

Fixtures D, E, and F come complete to install as a semi-flush or pendant.



Parkwooc

The Parkwood collection's craftsman style motif features classic Bronze components and a Mica inner shade.

Together they contrast beautifully with the stained glass mosaic creating a classic design.



	Product	Bulbs/Wattage	L/ext.	w	Н	Ceiling/Wall Plate Size
Α	Z16-55FL	(3) 100W-m		16"	60"	
В	Z14-55TL	(2) 100W-m		14"	22"	
С	Z8-55WS	(2) 60W-c	4"	8″	10"	4"W x 8"H



	Product	Bulbs/Wattage	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling/Wall Plate Size
D	Z8-55MP-C	(1) 100W-m	8"	9 1/4"	55 1/4"	3x12" + 1x6" + 1x3" rods	110″	4 3/4" diameter
E	Z14-55P-C	(3) 100W-m	14"	8″	54"	3x12"+ 1x6"+ 1x3" rods	110″	6" diameter
F	Z18-55P-C	(3) 100W-m	18″	8"	54"	3x12"+ 1x6"+ 1x3" rods	110″	6" diameter

Fixtures D, E, and F come complete to install as a semi-flush or pendant.



	Product	Bulbs/Wattage	L/ext.	W	Н	Overall-H	Chain/Rods Length	Wire Length	Ceiling/Wall Plate Size
G	Z32-55IS	(4) 100W-m	32″	12″	9 3/4"	55 3/4"	6x12"+2x6"+2x3"rods	110″	17 3/4"L x 4 3/4"W
Н	Z42-55IS	(4) 100W-m	42"	16 1/2"	9 3/4"	55 3/4"	6x12" + 2x6" + 2x3" rods	110"	19 1/4″L x 4 3/4″W

Serenity

The contemporary Serenity collection of portable lamps feature rich finishes of Dark Mahogany or Satin Black. The shades are White Linen or Flax to match.



	Product	Bulbs/Wattage	Switch	Top SH-W	Bottom SH-W	Shade-H	Total-H	Lamp Finish	Shade Finish	Shade Material
Α	FL121	(1) 100W-m	3-Way	9 7/8" x 21"	9 7/8" x 21"	11 7/8"	63 1/2"	Black	White	Fabric
В	TL121	(1) 100W-m	3-Way	8" x 17"	8" x 17"	9 3/8"	27 3/4"	Black	White	Fabric
С	TL122	(1) 100W-m	3-Way	12 5/8" x 12 5/8"	12 5/8" x 12 5/8"	9"	25 5/8"	Black	White	Fabric
D	FL122	(1) 100W-m	3-Way	17" x 17"	17" x 17"	12 1/4"	61 1/4"	Black	White	Fabric



Black Lamp / White Shade

	Product	Bulbs/Wattage	Switch	Top SH-W	Bottom SH-W	Shade-H	Total-H	Lamp Finish	Shade Finish	Shade Material
Е	FL123	(1) 100W-m	3-Way	16" x 16"	16" x 16"	11 1/4"	61 1/4"	Mahogany	Flax	Fabric
F	TL123	(1) 100W-m	3-Way	12"x12"	12"x12"	9"	23 1/4"	Mahogany	Flax	Fabric
G	FL124	(1) 100W-m	3-Way	8" x 9"	8" x 9"	11 7/8"	59 1/4"	Black	White	Fabric
Н	TL124	(1) 100W-m	3-Way	6" x 9"	6" x 9"	9 7/8"	24"	Black	White	Fabric



Black Lamp / White Shade



 ${\it Black\ Lamp\ /\ White\ Shade}$

	Product	Bulbs/Wattage	Switch	Top SH-W	Bottom SH-W	Shade-H	Total-H	Lamp Finish	Shade Finish	Shade Material
1	FL125	(1) 100W-m	3-Way	9" x 19"	9" x 19"	11"	63 5/8"	Black	White	Fabric
J	TL125	(1) 100W-m	3-Way	8" x 17"	8" x 17"	9 3/8"	28 3/4"	Black	White	Fabric
K	FL126	(1) 100W-m	3-Way	8 1/2" x 10 3/8"	15 3/4" x 17 3/4"	11 3/8"	59 1/2"	Black	White	Fabric
L	TL126	(1) 100W-m	3-Way	6 1/4" x 8"	13" x 15"	10 1/4"	26"	Black	White	Fabric

Celeste


The vintage styling of the Celeste collection of floor and table lamps creates a look that is both whimsical and classic. Seedy glass shades are paired with an Olde Bronze or Brushed Nickel finish, giving these fixtures a timeless appeal.



	Product	Bulbs/Wattage	L/ext.	W	Н
Α	TL120-BN	(1) 100W-m	9″	6"	20 1/2"
В	FL120-BN	(1) 100W-m	10 3/8″	8″	58 1/4"
С	TL120-OB	(1) 100W-m	9″	6″	20 1/2"
D	FL120-OB	(1) 100W-m	10 3/8"	8"	58 1/4"

Above items include 1-60W vintage bulb










Back Plate measures: 7 7/8"W x 14 3/4"H



C.

	Product	Source/ Wattage	Source Lumens	ССТ	CRI	L/ext.	W	н	Ceiling/Wall Plate
А	558B-SL-LED	(1) 14W LED	1120	2700K	>80	5 1/4"	10"	19"	10"W x 19"H
	558M-SL-LED	(1) 14W LED	1120	2700K	>80	4"	7 7/8"	14 3/4"	7 7/8"W x 14 3/4"H
С	558S-SL-LED	(1) 6W LED	480	2700K	>80	3 7/8"	4 3/4"	10 3/4"	4 3/4"W x 10 3/4"H


Back Plate measures: 4 3/4"W x 10 3/4"H








E. Back Plate measures: 7.7/8"W x 14.3/4"H





	Product	Source/ Wattage	Source Lumens	ССТ	CRI	L/ext.	W	Н	Ceiling/Wall Plate
D	558B-BK-LED	(1) 14W LED	1120	2700K	>80	5 1/4"	10"	19"	10"W x 19"H
	558M-BK-LED	(1) 14W LED	1120	2700K	>80	4"	7 7/8"	14 3/4"	7 7/8"W x 14 3/4"H
	558S-BK-LED	(1) 6W LED	480	2700K	>80	3 7/8"	4 3/4"	10 3/4"	4 3/4"W x 10 3/4"H












	Product	Source/ Wattage	Source Lumens	ССТ	CRI	L/ext.	w	н	Ceiling/Wall Plate
G	558B-DBZ-LED	(1) 14W LED	1120	2700K	>80	5 1/4"	10"	19"	10"W x 19"H
Н	558M-DBZ-LED	(1) 14W LED	1120	2700K	>80	4"	7 7/8"	14 3/4"	7 7/8"W x 14 3/4"H
	558S-DBZ-LED	(1) 6W LED	480	2700K	>80	3 7/8"	4 3/4"	10 3/4"	4 3/4"W x 10 3/4"H












Α.






C.


В.





	Product	Source/ Wattage	Source Lumens	ССТ	CRI	L/ext.	w	Н	Ceiling/Wall Plate
А	559B-SL-LED	(1) 14W LED	1120	2700K	>80	5 7/8″	9″	19"	4 3/4"W x 4 3/4"H
В	559M-SL-LED	(1) 14W LED	1120	2700K	>80	5 1/8"	7″	14 3/4"	4 3/4"W x 4 3/4"H
С	559S-SL-LED	(1) 6W LED	480	2700K	>80	4 3/8"	5 1/8"	9 5/8"	4 3/4"W x 4 3/4"H











D.






F.



	Product	Source/ Wattage	Source Lumens	ССТ	CRI	L/ext.	W	н	Ceiling/Wall Plate
D	559B-BK-LED	(1) 14W LED	1120	2700K	>80	5 7/8"	9″	19"	4 3/4"W x 4 3/4"H
Е	559M-BK-LED	(1) 14W LED	1120	2700K	>80	5 1/8"	7″	14 3/4"	4 3/4"W x 4 3/4"H
F	559S-BK-LED	(1) 6W LED	480	2700K	>80	4 3/8"	5 1/8"	9 5/8"	4 3/4"W x 4 3/4"H









Deep Bronze

G.










	Product	Source/ Wattage	Source Lumens	ССТ	CRI	L/ext.	w	Н	Ceiling/Wall Plate
G	559B-DBZ-LED	(1) 14W LED	1120	2700K	>80	5 7/8"	9″	19"	4 3/4"W x 4 3/4"H
Н	559M-DBZ-LED	(1) 14W LED	1120	2700K	>80	5 1/8"	7″	14 3/4"	4 3/4"W x 4 3/4"H
1	559S-DBZ-LED	(1) 6W LED	480	2700K	>80	4 3/8"	5 1/8"	9 5/8"	4 3/4"W x 4 3/4"H





Finish Black	Shade Clear Seedy
	Glass
Also available:	
Oil Rubbed Bronze / Cle pg. 77-80	ar Seedy Glass:
pg. //-00	

	Product	Bulbs/Wattage	W	Н	Notes
А	554PHB-519P-BK	(1) 100W-m	11"	110"	Cut post to suit desired height
В	554PHM-519P-BK	(1) 100W-m	10"	108 1/2"	Cut post to suit desired height

All post lights come complete with mounting template, bolts and cap nuts.










	Product	Bulbs/Wattage	W	Н
С	554PHB-BK	(1) 100W-m	11"	16 1/4"
D	554PHB-533PM-BK	(1) 100W-m	11"	18"
E	554PHM-BK	(1) 100W-m	9″	14 3/4"
F	554PHM-533PM-BK	(1) 100W-m	9″	16 1/2"



	Product	Bulbs/Wattage	L/ext.	W	н	Overall-H	Chain	Wire	Ceiling Plate Size
G	554XL-BK	(3) 60W-c	11"	12″	21 1/8″				5"W x 13 1/2"H
н	554B-BK	(1) 100W-m	11"	12"	15 1/4"				5"W x 9"H
1	554M-BK	(1) 100W-m	9″	10"	12 3/4″				4 1/4"W x 7 1/2"H
J	554S-BK	(1) 100W-m	7 1/2"	8 1/2"	10 7/8"				4 1/4"W x 7 1/2"H
К	554CHB-BK	(1) 100W-m		11"	14 1/8"	87 1/8"	72" chain	110″	5 1/8" diameter





В.

	Product	Bulbs/Wattage	W	Н	Notes
Α	554PHB-519P-ORB	(1) 100W-m	11"	110″	Cut post to suit desired height
В	554PHM-519P-ORB	(1) 100W-m	10"	108 1/2"	Cut post to suit desired height

All post lights come complete with mounting template, bolts and cap nuts.

Finish

Oil Rubbed Bronze

pg. 73-76

Also available: Black / Clear Seedy Glass:

Shade

Glass









	Product	Bulbs/Wattage	W	Н
С	554PHB-ORB	(1) 100W-m	11"	16 1/4"
D	554PHB-554PM-ORB	(1) 100W-m	11"	18"
Е	554PHM-ORB	(1) 100W-m	9″	14 3/4"
F	554PHM-554PM-ORB	(1) 100W-m	9″	16 1/2"



	Product	Bulbs/Wattage	L/ext.	W	н	Overall-H	Chain	Wire	Ceiling Plate Size
G	554XL-ORB	(3) 60W-c	11"	12"	21 1/8″				5″W x 13 1/2″H
Н	554B-ORB	(1) 100W-m	11"	12"	15 1/4"				5"W x 9"H
	554M-ORB	(1) 100W-m	9″	10"	12 3/4″				4 1/4″W x 7 1/2″H
J	554S-ORB	(1) 100W-m	7 1/2"	8 1/2"	10 7/8″				4 1/4"W x 7 1/2"H
К	554CHB-ORB	(1) 100W-m		11"	14 1/8″	87 1/8"	72" chain	110″	5 1/8" diameter

More exterior additions



	Product	Bulbs/Wattage	W	н	Ceiling Plate Size
A	557P-BK		12 3/8"	96"	
В	555F-BK	(1) 100W-m	10"	5 7/8"	10" diameter
С	556F-BK	(1) 100W-m	10"	5 7/8"	10" diameter
D	555F-ORB	(1) 100W-m	10"	5 7/8"	10" diameter
	EEGE ODD	(1) 100W/m	10"	F 7/0"	10" diameter

	Product	W	Н
F	554PM-ORB	6"	4"
G	553PM-BA	6 1/4"	3 1/2"
	553PM-BK	6 1/4"	3 1/2"
	553PM-ORBZ	6 1/4"	3 1/2"

Astra

Create instant glam with these Boho style fixtures by hanging them as portable plug-in swag lamps or as hardwired pendants (all hardware included). This contemporary drum shade collection is available in three sizes and is completed with white wire and hardware.



Shade



White

Blue/Aqua

Pink/Burgund



Portable plug-in swag lamps (includes 2 ceiling hooks and plug) or hardwire them as pendants Each fixture comes with an acrylic diffuser.

	Product	Bulbs/Wattage	W	Н	Overall-H	Cable Length	Ceiling Plate Size
A	203-10	(1) 60W-m	10″	8″	189″	180″	5 7/8" diameter
В	203-16	(3) 60W-m	16"	8"	189″	180″	5 7/8" diameter
С	203-20	(3) 100W-m	20″	9″	190″	180″	5 7/8" diameter
D	204-10	(1) 60W-m	10″	8″	189″	180″	5 7/8" diameter
Е	204-16	(3) 60W-m	16"	8″	189″	180″	5 7/8" diameter
F	204-20	(3) 100W-m	20″	9"	190″	180″	5 7/8" diameter

INDEX

1915-1S-BN-LED		443F3-BN		6000SFC-CH	12
1915-1S-CH-LED		443MP12-BN		6002-4S-BN	18
1915-2V-BN-LED		443MP-BN		6002-4S-BZGD	14
1915-2V-CH-LED	34	443P-BN		6002-6L-BN	18
1915-3V-BN-LED	33	443SF-BN	51	6002-6L-BZGD	14
1915-3V-CH-LED	34	553PM-BA	81	6002MP-BN	20
1915-4V-BN-LED	33	553PM-BK	81	6002MP-BZGD	
1915-4V-CH-LED		553PM-ORBZ		6004-3S-BN	
1915-5V-BN-LED		554B-BK		6004-3S-BZGD	
1915-5V-CH-LED		554B-ORB			
		5546-UR BK	60	6004-4L-BN	
1916-1S-BN-LED		554CHB-BK		6004-4L-BZGD	
1916-1S-BRZ-LED		554CHB-ORB		6004MP-BN	20
1916-1S-CH-LED		554M-BK	76	6004MP-BZGD	16
1916-2V-BN-LED	35	554M-ORB		7000-1S-BN	44
1916-2V-BRZ-LED	37	554PHB-519P-BK	74	7000-1S-BRZ	48
1916-2V-CH-LED	36	554PHB-519P-ORB		7000-2V-BN	
1916-3V-BN-LED		554PHB-533PM-BK		7000-2V-BRZ	
1916-3V-BRZ-LED		554PHB-554PM-ORB			
1916-3V-BKZ-LED				7000-3BN	
		554PHB-BK		7000-3BRZ	
1916-4V-BN-LED		554PHB-ORB		7000-3V-BN	
1916-4V-BRZ-LED		554PHM-519P-BK		7000-3V-BRZ	48
1916-4V-CH-LED	36	554PHM-519P-ORB	78	7000-4V-BN	44
1916-5V-BN-LED	35	554PHM-533PM-BK		7000-4V-BRZ	48
1916-5V-BRZ-LED	37	554PHM-554PM-ORB	79	7000-5BN	
1916-5V-CH-LED		554PHM-BK		7000-5BRZ	
1917-1S-BN-LED		554PHM-ORB		7000-5V-BN	
1917-1S-BRZ-LED		554PM-ORB		7000-5V-BRZ	
1917-1S-CH-LED		554S-BK		7000-9BN	
1917-2V-BN-LED		554S-ORB		7000-9BRZ	46
1917-2V-BRZ-LED	38	554XL-BK		7000MP-BN	43
1917-2V-CH-LED	40	554XL-ORB	80	7000MP-BRZ	47
1917-3V-BN-LED	39	555F-BK		7000P-BN	
1917-3V-BRZ-LED		555F-ORB		7000P-BRZ	
1917-3V-CH-LED		556F-BK			
		556F-ORB		7000SF-BN	
1917-4V-BN-LED				7000SF-BRZ	
1917-4V-BRZ-LED		557P-BK		8000-14BRZ	28
1917-4V-CH-LED		558B-BK-LED		8000-18BRZ	
1917-5V-BN-LED	39	558B-DBZ-LED	68	8000-1S-BRZ	26
1917-5V-BRZ-LED	38	558B-SL-LED	66	8000-4L-BRZ	
1917-5V-CH-LED	40	558M-BK-LED	67	8000-6L-BRZ	
203-10		558M-DBZ-LED		8000MP-BRZ	
203-16		558M-SL-LED		8001-14BRZ	
203-20		558S-BK-LED			
204-10		558S-DBZ-LED		8001-1MP-BRZ	
				8001-1S-BRZ	
204-16		558S-SL-LED		8001-23BRZ	
204-20		559B-BK-LED		8001-32BRZ	
3000-1S-OS		559B-DBZ-LED		8001-3BRZ	
3000-2V-OS	24	559B-SL-LED	70	8001-6C-BRZ	31
3000-3B-OS		559M-BK-LED	71	8001-6P-BRZ	
3000-3V-OS	24	559M-DBZ-LED	72	8001-8MP-BRZ	
3000-4V-OS		559M-SL-LED		FL120-BN	
3000-5OS		559S-BK-LED		FL120-OB	
3000-5V-OS		559S-DBZ-LED			
				FL121	
3000-6OS		559S-SL-LED		FL122	
3000F2-OS		6000-12-BN		FL123	62
3000MP-OS		6000-12-BZGD		Fl124	
3000P-OS		6000-12-CH	10	FL125	63
3000SF-OS	23	6000-1S-BN	8	FL126	63
4001F11-AL-BN	53	6000-1S-BZGD	4	TL120-BN	
4001F11-AL-BRZ		6000-1S-CH		TL120-OB	
4001F11-MO-BN		6000-2S-BN		TL121	
4001F11-MO-BRZ		6000-2S-BZGD		TL122	
4001F13-AL-BN		6000-2S-CH			
				TL123	
4001F13-AL-BRZ		6000-5L-BN		TL124	
4001F13-MO-BN		6000-5L-BZGD		TL125	63
4001F13-MO-BRZ	54	6000-5L-CH	11	TL126	63
4001F15-AL-BN	53	6000-7L-BN	7	Z14-54P-C	56
4001F15-AL-BRZ	53	6000-7L-BZGD	3	Z14-54TL	
4001F15-MO-BN		6000-7L-CH	11	Z14-55P-C	
4001F15-MO-BRZ		6000-8A-BN		Z14-55TL	
443-1S-BN		6000-8A-BZGD			
443-2V-BN				Z16-54FL	
		6000-8A-CH		Z16-55FL	
443-3-BN		6000-8B-BN		Z18-54P-C	
443-3V-BN		6000-8B-BZGD		Z18-55P-C	
443-4V-BN		6000-8B-CH		Z32-55IS	60
443-5-BN	50	6000MP-BN	8	Z42-55IS	60
443-5V-BN	52	6000MP-BZGD	4	Z8-54MP-C	
443-9-BN		6000MP-CH		Z8-54WS	
443F1-BN		6000SFC-BN		Z8-55MP-C	
443F2-BN		6000SFC-BZGD		Z8-55WS	
	J±	00000. 0 DEGD		∠U-JJ VV J	